Index for Volume 86

AUTHOR AND SUBJECT INDEX. Pages indicating errata are in italic. "S" with a number indicates the November supplement.

Abawi, G. S., 674, S3, S23, S98
Abbas, H. K., S26, S42, S94, S95
Abbasi, P. A., S80, S82
Abd-Alla, H. M., S5, S90
Abd El Rehim, M. A., S67
Abies spp., root disease, *Heterobasidion annosum*, differentiation of intersterility groups, 543
Abney, T. S., S46
Abo-Foul, S., 195
Abou-Jawdah, Y., S71
Abouzid, A. M., S93
Abrahamson, L. P., S40
Abstracts
—annual meeting and North Central division, S1
—Caribbean division, S113
—Northeastern and Potomac divisions, S119
—Pacific division, S109
—Southern division, S104
Abutilon mosaic virus, on flowering maple in Hawaii, nonvector-transmissible strain nucleotide sequence, 608
Achar, P. N., S46, S103
Achenbach, L. A., S10
Acidovorax avenae, antibody complexes, gradients, S105
Acosta-Gallegos, J. A., S56, S116
Acremonium spp.
—on cantaloupe, isolate comparison, S3
—on soybean, detection and differentiation, 1140
Adachi, Y., 1248
Adams, P. B., S45
Adams, P. D., S97
Adams, T. H., S19, S71
Adaskaveg, J. E., S21, S22, S26
Adhikari, T., S79
Adkins, S., 849, S7
Agrobacterium spp.
—*A. radiobacter*: on fruit trees, plasmid transfer from *A. tumefaciens*, biocontrol effect, 528; plasmid transfer for suppression of crown gall, biocontrol, 31
—*A. tumefaciens*, on aspen, cytokinin correlation with resistance, 225
—*A. vitis*: from wild grape, strain heterogeneity, S120; strains, relatedness by fingerprinting, S15;
Aguilar, E. A., S64
Aguirre, L., S117
Ahmad, M., S77
Ahmed, H. U., 454
Ahn, S. W., S46
Akanda, S. I., 347
Alameda, M., S114
Alberts, E. V., S14
Albuga candida
—on *Brassica rapa*, resistance locus mapping, 367
—on crucifer species, systemic infection, S5
—on oilseed rape in Canada, monogenic lines for resistance, 1000
—on wild crucifer, host specificity, S64
Aldridge, P., S77
Aldwinckle, H. S., S16, S92
Alfalfa
—anthracnose: induced systemic resistance by avirulent strain, 1045; resistance sources, S76
—crown and stem rot, postemergence herbicide, S60
—saponins and rhizosphere bacteria, S97
—Sclerotinia crown and stem rot: planting date, fungicide, and cultivar effect, S41; resistance screening, 923
—*Sclerotinia trifoliorum*, resistance selection, S56
—vascular wilt, light effect on resistance, S91
Al-Khayri, J. M., S44
Alldredge, J. R., 480
Almarza, N., 1370
Almond
—anthracnose, California outbreak, S22
—crown gall and wood decay, storm damage, S21
—mild etch, effect, S20
—nitrogen fertilization and disease, S21
Alonso-C., Z., S114
Alternaria spp.: on crucifers, DNA fingerprinting, S67; on guayule, foliar blight, S92; reproduction, evolution, S20
—*A. alternata*: on citrus, conidia and field populations, S22; on Japanese pear, genetic variation and fungicide resistance, 1248
—*A. brassicae*, dig-labeled probe, synthesis, polymerase chain reaction, S66
—*A. brassicicola*, on radish, suppression by *Pseudomonas fluorescens*, systemic induced resistance, 757
—*A. macrospora*, on pima cotton, factors affecting intensity, 123
—*A. solani*, on potato, fungicide efficacy, S114
Altomare, C., S9
Alvarado-Gómez, O. G., S113
Alvarez, A. M., 95, S35, S36, S51
Ambrosoli, R., S83
American Phytopathological Society
—abstracts (see Abstracts)
—annual report, 14
—author index of annual meeting presentations, S126
—Ciba-Geigy Award, 23
—Extension Award, 22
—Fellows Award, 17
—Lee M. Hutchins Award, 23
—officers, representatives, and committees, 12
—presidential address, 556
—Ruth Allen Award, 24
—Teaching Award, 22
Ampelomyces quisqualis, on cucumber, powdery mildew suppression, 195
Analyses, spatial, simplified using disease foci, letter to editor, 332
Anderson, A. J., S36, S75, S76
Anderson, E. J., S17, S44
Anderson, J. A., 459, S47
Anderson, J. D., S67
Anderson, N. A., 138
Anderson, P. K., S113
Anderson, R. J., S90
Anderson, T. W., S9, S54
Andresen, H., 602
Andrews, J. H., 914, S12, S66
Annone, J. G., 200, 213, S12, S69, S93
Anthurium
—bacterial blight, resistance, S51
—blight: biocontrol of leaf bacteria, S36; leaf bacteria, role, S36
Antibiotics
—streptomycin and oxytetracycline: compatibility with bacteria antagonistic to apple fire blight, 834; *Pseudomonas fluorescens* interaction to control fire blight and frost injury of pear, 841
Anton, L. A., S125
Aphanomyces euteiches, pea-infecting strains, variability, S63
Aphis spp.
—*A. gossypii*, on orange and grapefruit, citrus tristeza virus vector in Spain, spatio-temporal analyses, 45
—*A. gossypii* and *craccivora*, on zucchini, yellow mosaic virus vectors, efficiency and propensity in transmission, 698
Apotheker-de Groot, M., S57
Appel, D., S22
Apple
—blue mold: polygalacturonase purification and characterization, 1160; suppression by mixed antagonists, 473
—crown, root, and collar rots in New York: orchard soil temperature and spore populations, 1133; spatial distribution in orchard soil, 1122
—crown rot, time of inoculation, 290
—Diaporthe canker, hypovirulent strain containing dsRNA virus, 1311
—fire blight: antagonistic bacterial and yeast strains, 940; compatibility of antagonistic bacteria with antibiotics for biocontrol, 834; model for biocontrol research, S60; symptoms, S50; transgenic rootstock, evaluation, S92
—*Phymatotrichum omnivorum*, root colonization, S22
—postharvest decay, natural coating effect, S70
—postharvest soft rot, calcium effect, S70
—scab: flower bud developmental stage effect, S124; resistance and fenarimol effect, S85; suppression by extracts of spent mushroom substrate, 914
—Show Me Plant Disease Forecasting System, validation, S60
Apple chlorotic leafspot virus, nucleotide sequence, S101
Apple stem grooving virus, elimination method, S44
Arabidopsis thaliana
—phytoalexin, camalexin, S25;
—*Pseudomonas syringae*, race-specific resistance, S25
Aragao, F. J. L., S48
Aranda, S., S113
Araya, C. M., S56, S67
Ardales, E. Y., 241, 1352
Arévalo, E., S68, S69
Arias, R. S., S35
Arifi, A., S62
Ariyaratne, I., S72
Arjula, V., S103
Armillaria mellea, identification in South Africa, S102
Armstrong, W., S64
Arnold, D., 1051
Artichoke, tomato infectious chlorosis virus, detection, 622
Ascochyta lentis, on lentil, prediction system for management, S123
Ash, C. L., S98
Ash, rootstock-scion combination, phytoplasmal tolerance, S39
Asher, M. J. C., 493
Ashoulin, L., 1331
Asíns, M. J., 528
Asparagus, *Xanthomonas campestris*, new pathovar, S50
Aspen (see also Poplar)
—crown gall, correlation of cytokinin with resistance, 225
—*Hypoxylon mammatum*, peroxidase activity, S38
Aspergillus spp.: aflatoxin-producing, species, S34; aflatoxin-producing, strain, molecular polymorphism, S2; aflatoxin production, antagonistic yeasts, mechanisms, S83

—*A. flavus*: aflatoxin biosynthesis, gene characterization, S107; linkage group VII, aflatoxin biosynthesis, S68; on corn, cutinase effect on infection, 824; on corn, *Ord1* and *Avf1*, aflatoxin biosynthesis, S68; on corn, ribosome-inactivating protein, S105; on corn, transcriptional regulation of *afl*, S68; on corn kernels, aflatoxin biosynthesis induction, S68; on corn kernels, cuticle wax effect, S71
—*A. nidulans*: mycotoxin production, gene, S19; sterigmatocystin, biosynthetic pathway, S71
Audy, P., 361
Aureobasidium pullulans
—detection using oligonucleotide probes, S12
—on apple, fruit russet cause, S122
Australian grapevine yellows phytoplasma, classification and phylogeny, S43
Avila, F. J., S75, S104
Avocado
—Phytophthora root rot, diagnosis, 763
—root rot, gypsum soil amendments, S30
Ayala, L., S85
Aylor, D. E., 769, S124

Baayen, R. P., 777, 1018
Babadoost, M., S9, S41
Bacillus spp.
—*B. brevis*, gramicidin from, antibiotic activity, S54
—*B. subtilis*: effect on wood-staining fungi, S38; on micropropagated plants, suppression of Phytophthora and Pythium damping-off, 428
Backman, P. A., S36, S37, S49
Bacteria
—on pear and apple, strains antagonistic to fire blight, 940
—papaya bunchy top disease, association, etiology, 102
Baenziger, P. S., 1222, S57
Bailey, A. M., S116
Bailey, B. A., S9, S23, S38, S67, S68
Bailey, J. A., 1076
Bailey, J. E., S42
Baird, R. E., S66
Baird, S. M., S105
Bairdi, L., S1
Baker, J., S83
Bakker, P. A. H. M., 149
Balcerzak, M., 581
Ball, L. A., S29
Balogh, C. M., S109
Banana
—black sigatoka, fungicides for, S2
—Fusarium wilt and oxygen deficiency, S64
—*Mycosphaerella fijiensis*, fungicide-resistant strains in Costa Rica, S32
Banana streak virus
—cloning and sequences, S100
—host genome integration, S100
Bandla, M. D., 849, S8
Banerjee, D., S25
Banksia grandis, root rot, suppression by synergistic organisms, S9
Bansemir, I., S119
Banttari, E. E., 170
Bao, Y., S74
Barba, M., 959
Barberis, E., S83
Barbosa, A. M., S9
Barczynska, H., S21
Bar-Joseph, M., 1331, S115
Barker, K. R., S28, S46, S97
Barley
—bacterial kernel blight, biocontrol with *Pantoea agglomerans*, S79
—Fusarium head blight, yield loss estimates, S58
—leaf rust resistance genes, relationship to other *Rph* genes, 887
—net blotch, induced resistance by *Bipolaris maydis* and *Septoria nodorum*, 602
—powdery mildew: gene cloning method, S34; infection types and genetics of avirulence, 1112
—stem rust: competitive ability of races, 627; genetic resistance, 1299
—stripe rust, resistance screening, S112
Barley stripe mosaic virus, resistance gene mapping, 184
Barley yellow dwarf virus
—in Kenya and Ecuador, variability, S85
—on oat, AFLP markers, S92
—on transgenic oat, tolerance, S7
—PAV serotype, diversity, 370
—RPV satellite, virus specificity, S7
—sequence analysis of isolates, S75
Barrera, P. S., S40
Barrios, H., S46
Barros, L. M., S48
Bartoszyk, I. M., S43, S96
Bartz, J. A., S70
Basil, Fusarium wilt and crown rot, transmission by soil- and airborne inoculum and seed, 56
Basim, H., S15, S77
Bass, C., S85
Bassi, A. B., Jr., S30, S31
Batchelor, W. D., S13
Batten, J. S., S37, S115
Bauchan, G. R., S76
Bayliss, K. L., S92
Beachy, R. N., S72
Bean (see also *Phaseolus*)
—common blight and common mosaic virus in Mexteca, Mexico, resistance selection, S114
—nodulation, wound healing and nitrogen recovery, S25
—*Pantoea agglomerans*, antagonism factors, S52
—snap, rust golden mosaic virus resistant germ plasm, first release in USA, S125
Bean dwarf mosaic virus
—green fluorescent protein expression, S45
—in tobacco and bean, movement, 1204
Bean golden mosaic virus
—coat protein gene, molecular analysis, S101
—molecular detection, Mexico, S17
—on bean, resistance in Brazil, S48
Bean yellow mosaic virus, on berseem clover, S60
Beatty, J. S., S38
Beaulieu, J., S88
Beaver, J. S., S125
Becerra-Flora, A., 1186
Beck, R. J., 115
Becker, E. M., S29
Becker, J. O., S109
Beckerman, J., S11
Beckett, R., S75
Becton, C. M., S54
Bedford, R. J., S42
Beer, S. V., 856, S77
Beet curly top virus
—analysis of Iranian isolate, S18
—genotype characterization, sugar beet cultivars, 929
—strain-specific replication elements, S17
Beet necrotic yellow vein virus, spread by irrigation and tillage, 1242
Beet pseudo-yellows virus, cDNAs specific to closterovirus-encoded heat shock protein 70, generation and identification, 1167
Beet yellows virus, in *Chenopodium quinoa* protoplasts, synthesis, S17
Begonia, *Botrytis cinerea*, calcium chloride for control, S55
Behe, B. K., S6
Behjatnia, S. A. A., 880
Behm, J. E., S98
Behrendt, C. J., S28
Bélanger, R. R., 1174, 1317, S52, S122
Bell, A., S4
Bell, A. A., S19, S27, S45
Bell, D. K., S41
Beltran, J. D., S26
Bemisia tabaci
—flight behavior, S113
—on hosts, *Azadirachta indica* products for biocontrol, S115
—on melon and cucumber, cucurbit yellow stunting disorder virus transmission, 1370
—tomato mottle and cabbage leaf curl virus transmission, S115
Beneddra, T., 225
Benhamou, N., 405, 434, 1174, S52
Benson, D. M., S37, S105
Bent, A., S25, S81
Bentgrass, dollar spot, plant growth regulators and fungicides, S104
Ben-Yephet, Y., 751, S24
Berbee, M., S20
Berdahl, J. D., S41
Bereswill, S., S12, S77
Bergdahl, A. D., S119, S122, S123
Berger, F., 428
Berger, R. D., S13, S86
Bergstrom, G. C., S57
Berisha, B., S119
Bernier, C. C., 1193
Berrang, P., S39
Bertagnolli, B. L., S80
Berthier, Y. T., S82
Bertrand, P. F., S100, S107
Bérubé, J. A., S10
Beuselinck, P., S84
Beute, M. K., S42, S104
Bewick, T. A., S89
Biehn, W. L., S2
Biles, C. L., S71, S104, S108
Biological control
—*Agrobacterium radiobacter*: for *A. tumefaciens*, plasmid transfer from *A. tumefaciens*, 528; for crown gall, plasmid transfer, 31
—*Ampelomyces quisqualis* for powdery mildew on cucumber, 195
—antagonist mixtures for blue mold of apple, 473
—*Bacillus subtilis* for Phytophthora and Pythium damping-off of micropropagated plants, 428
—bacteria for fire blight of apple, anti biotic compatibility, 834
—bacterial and yeast strains for fire blight of pear and apple, identification, 940
—*Bipolaris maydis* and *Septoria nodorum* for net blotch of barley, induced resistance, 602
—broccoli soil amendments for Verticillium wilt of cauliflower, 1303
—*Clerodendrum aculeatum* for viruses affecting susceptible plants, induced systemic resistance, 485
—clove oil for soilborne pathogens, S6
—CO_2 related to agent efficacy, S10
—composts for Pythium root and stem rots of cucumber, 1066
—dose-response models for antagonists and plant pathogens, 464
—*Erwinia herbicola* and *Pseudomonas fluorescens* for brown spot of pear, isolation and characterization, 856
—extracts of spent mushroom substrate for apple scab, 914
—fungi for soybean cyst nematode, cyst wall penetration, 319
—*Fusarium proliferatum* for grape downy mildew, postinfection application, 1010
—*Fusarium sambucinum* by *Brassica* spp. as green manure, 267
—gooseweed with *Alternaria*, in rice, S22
—green manure treatments for Verticillium wilt of potato, 444

—host contribution and pathogen tolerance, S83
—*Hypovirus*: for chestnut blight, transfection, 301; transmission for chestnut blight, correlation with vegetative incompatibility genes, 79
—isolates in soil suppressive to Fusarium wilt of watermelon, 812
—*Pseudomonas fluorescens*: for fire blight of pear, antibiotic interaction, 841; for fungal and bacterial pathogens of radish, systemic induced resistance, 757; for Fusarium wilt of radish, induced resistance, 149; for *P. solanacearum* on tomato with modified soil atmospheres, 1238; for rot and *Pythium ultimum* on pea roots, induced resistance, 1174
—rhizobacteria for angular leaf spot and anthracnose of cucumber, induced resistance, 221
—soil organic amendments, tomato and soybean diseases, soil microbial population, S54
—*Sporothrix flocculosa* for *Botrytis cinerea* and *Cladosporium cucumerinum*, antibiotic action, 1317
—suppressive *Streptomyces* spp. for pathogenic species on potato, fatty acid identification of species in Minnesota, 138
—*Trichoderma harzianum*: for *Glomus intraradices*, mycoparasitism, 434; for gray mold of bean, 1255; for plant-pathogenic fungi, host-specific expression of chitinases, 980; for *Sclerotium rolfsii*, 405
—*Trichoderma koningii* for take-all of wheat, combination with pseudomonads, effect, 188
—white mold of bean, environment effect on biocontrol agent efficacy, 156
Bipolaris maydis, on barley suppression of net blotch, induced resistance, 602
Birdsong, R., S51
Bisaro, D. M., S7, S18, S43
Bistline, F. W., S106
Björkman, T., S9
Black, L. L., S24, S72
Blackford, C. H., S119
Blahut, G. R., S27
Blair, B., S123
Blanchette, R. A., S28, S49
Blodgett, J. T., S102
Blueberry, blossom blight, cultivar susceptibility, S21
Blum, L. E. B., S37, S54
Bobish, J., S44
Bockelman, H. E., S112
Bockus, W. W., S27, S55
Bodaghi, S., S109
Boehm, E., S102
Boland, G. J., 156
Bonaterra, A., 464, 856
Bonde, M. R., 115, S92
Bonn, W. G., S50
Boshoff, W. H. P., S58
Bostock, R. M., S16, S26, S81
Boston, R. S., S105
Botes, W. M., S66
Bothast, R. J., S83
Botrytis spp.
—*B. cinerea*: fungicide tolerance, 22 isolates, S3; on bean, *Trichoderma harzianum* for biocontrol, 1255; on grape, persistence in fruit fly vector, 934; on greenhouse vegetables, management system, S15; on kiwi fruit, snail effect, S22; *Sporothrix flocculosa* for control, antibiotic action, 1317
—*B. squamosa*, on onion in New York, synergy, antagonism, and additive action of fungicide combinations, 1261
Botta, G., S12, S69, S93
Bourgeois, G., S21
Bouzar, H., 1098, S42, S49
Bowden, R. L., S24
Bowen, K. L., S6
Bowers, J. H., 614
Bowman, B. H., 301
Bowman, D. T., S28
Bozarth, R. F., S100
Braat, C. E., 361
Bradley, C. A., S69
Bradshaw, H. D., Jr., 87, S48
Braithwaite, K. S., S17
Brändle, U. E., S19
Brantner, J. R., S20
Brasileiro, A. C. M., S48
Brassica spp., as green manure, suppression of *Fusarium sambucinum*, 267
—*B. napus*, *Albugo candida* in Canada, resistant monogenic lines, 1000
—*B. oleracea*, *Rhizoctonia solani* and *Fusarium* spp., soil solarization and metam sodium for control in Bermuda, S115
—*B. rapa*, white rust, resistance locus mapping, 367
Braun, A., S79
Bravo, L., S117
Brazee, R. D., S55
Brecht, J. K., S70
Bremia lactucae, on lettuce, fungicide efficacy, S115
Brenneman, T. B., S29, S30, S41, S55
Bresnahan, J. J., S120
Brewster, V., S90
Briddon, R. W., S18, S100
Briere, S. C., S30
Britton, K. O., S39
Brlansky, R. H., S73, S74
Broadbent, P., 1032, 1039
Broccoli, downy mildew, fungicide comparison, S4
Brodeur, C., S21
Brown, A. E., 523
Brown, C. M., S92
Brown, C. S., S14
Brown, E. W., S89, S120
Brown, G. E., S33
Brown, J., S117
Brown, J. K., 1186, 1288, S43, S73, S74, S110
Brown, J. K. M., 1112
Brown, M. P., S68
Brown, R. L., 824, S71
Brown, W. M., Jr., S24, S111, S112
Browne, G. T., 290, S93
Bruckart, W. L., S82
Brune, P. D., S104
Brunner, B. R., 102
Bruns, T. D., 543, S28
Brunt, A. A., S100
Bruton, B. D., S3, S71, S75, S104, S108
Bryson, C. T., S95
Buchwaldt, L., 1193
Bugert, P., S77
Bukhalid, R. A., S16, S78
Bull, C. T., 260, S33, S112
Bunting, T. E., 398
Burch, K. B., S59
Burdsall, H., S66
Burgess, L. W., S121
Burgess, T., S25, S64, S81
Burgoyne, P., S123
Burkett, J. E., S49
Burleigh, J. R., S30
Burner, D. M., S11
Burns, R. G., S37
Burpee, L. L., S6, S104
Burr, T. J., S15, S120, S122
Burton, G. W., S29
Buschena, C., S47
Butterfield, J. E., 1098
Butternut, canker, isolated from beetles, S122; canker in Vermont, incidence, S119
Byrne, D. N., S113
Byrne, J. M., S3
Byrum, J. R., S32
Cabbage
—club root, suppressive soils, S66
—downy mildew, oospores, germination and entry, S103
—wirestem, biocontrol, S107
Cacao, *Phytophthora palmivora*, resistance, enzyme role, S48
Caesar, A. J., S63, S95
Café-Filho, A. C., 1364
Caffier, V., 1112
Cain, P., 1039
Callahan, A. M., S57
Callahan, T. M., S104
Calonectria crotalariae, on soybean, root colonization time, S40
Camarasa, E., 45
Cambra, M., 45, 1215
Campbell, C. L., 70, S14, S60
Campbell, H. L., S20, S42, S49, S50
Campbell, K., S109
Campbell, R. N., 1294
Camper, N. D., S93
Campobasso, G., S63
Canada, S. R., S67
Candole, B. L., S20
Candresse, T., 1215
Canfield, M. L., S98
Cantaloupe (see also Muskmelon and Melon)
—latent fungal infection, S108
—vine decline: fungal enzymes and pathogens, S104; role of ascospores in infection, Arizona soils, 509
Cantu, G., S62
Capparelli, R., 959
Capsicum spp. (see also Pepper): Phytophthora root rot, plant breeding for resistance, S118; Sclerotinia stem rot, resistance screening, S92
—*C. annuum*: Phytophthora root rot, irrigation method and polyethylene mulch effect, S62; Phytophthora root rot, location of drip irrigation emitters and infections, effect, 1364; potyviral systemic spread, restriction, S72; tobacco etch virus replication, inhibition, S44; veinal mottle virus, genetic mapping of resistance, 739
Caranta, C., 739
Cárdenas, E. S., S62
Carfioli, M., S124
Carisse, O., S10, S21, S61
Carling, D. E., 709
Carnation
—Fusarium wilt: cultivar resistance and population density, 751; histochemical resistance, 1018; resistance type, S24
Carnegie, S. R., 260
Carrijo, I. V., S1
Carris, L. M., 311
Carroll, R. B., S62
Carrot
—bacterial blight, seed contamination threshold, S11
—cavity spot: biocontrol with actinomycetes, S54; limed soil effect, S97; *Pythium* relation in Australia, S62
—resistance in transgenic plants, broad spectrum, S57
Carson, M. L., S59, S90
Carter, S. A., S18, S74
Cartwright, D. K., S37, S105
Cartwright, R. D., S40, S42
Cassidy, B. G., S7
Cassiolato, A. M. R., S54
Castañeda, C., S116
Castello, J. D., S40, S88
Castillo-G., F., S114
Catranis, C. M., S26
Cauliflower, Verticillium wilt, broccoli soil amendments and temperature, effect on microsclerotia, 1303

Cauliflower mosaic virus
—on tobacco, recombinants with transgene, S6
—on turnip, cross-protection, S44
Cavin, C., S125
Célix, A., 1370
Cepeda Siller, M., S113, S114
Cephalosporium gramineum, on wheat, infection process and effect of soil pH, 177
Ceratocystis sensu, species identification using RFLP and DNA, S29
Cercospora spp.
—*C. kikuchii*: *cfp* gene, characterization, S104; regulatory mutant, use in screening, S107
—*C. nicotianae*, cercosporin from, genes encoding resistance to, S11
—*C. zeae-maydis*, on maize, trait selection for resistance, 733
Cereals, leaf streak pathogens, recognition and detection in seed, 63
Cevik, B., S101, S114
Chakraborty, S., 283, S13, S86
Chalkley, D. B., S40
Chand-Goyal, T., S34
Chandrika, R., S115
Chang, T. T., 272
Chao, W. S., S80
Charudattan, R., S10, S13
Chase, T. E., 144
Chastagner, G. A, 87, S109
Chatterjee, A. K., S76
Chavarria, A., S29
Chay, C. A., 370, S75
Checkai, R. T., S86
Chellemi, D. O., S30
Chen, B., 301
Chen, C., S52
Chen, C.-H., 301
Chen, D. H., S46
Chen, J., S23, S98
Chen, J. T., S24
Chen, L., S72
Chen, S. Y., 319
Chen, T. A., S95, S119, S125
Chen, W., 1140, S5, S35, S57, S67, S97
Chen, X., S47
Chen, X. M., 1228, S19
Chen, Y. D., S95, S119
Cheng, Z.-M., S87, S96
Cherry
—crown gall, suppressed by plasmid transfer from *Agrobacterium radiobacter*, 31
—sour, plum pox virus detection, 575
Chestnut
—blight: correlation of hypovirus transmission with vegetative incompatibility genes, biocontrol, 79; population structure, 1344; suppressed by *Hypovirus* transfection, 301
Chet, I., 405, 434, 980, 1255, S23
Chetty, C. C., S103
Chino del tomate virus, on tomato and pepper in Mexico and southern USA, detection and distribution, 1186
Chiu, R. J., S43
Cho, J. J., S19
Choi, I. R., S17
Choi, T.-J., 849
Choi, W. B., S34
Chokecherry, X-disease, resistance, S87
Chondrostereum purpureum
—biocontrol agent, potential, S29
—on red alder, biocontrol, S22
Chong, J., 719
Chongo, G., 1193
Christ, B. J., S120
Christian, D., 311
Chu, M. H., S7
Chun, S.-C., S36
Chun, W., S16
Chwarszczynska, D. M., 493
Cianzio, S. R., S98
Cisar, C. R., S10
Citrus (see also Lime and Orange)
—canker, detection by specific assay, 95
—*Colletotrichum acutatum* and *gloeosporioides*, molecular characterization of strains, 523
—fruit decay, incidence in Texas packinghouses, S34
—greasy spot, ascospore discharge by pathogen, S4
—*Phytophthora nicotianae*, municipal waste effect, S6
—Phytophthora root rot, biological and chemical control, S55
—postbloom fruit drop, bacterial spray applications, S52
—postharvest disease, biocontrol product for, S33
—*Pseudomonas syringae*, postharvest disease, S33
—scab diseases: molecular analysis, 1039; species characterization, 1032
—yeast antagonist, transformation and biocontrol, S34
Citrus tristeza virus
—coat protein antigenic structure, epitope mapping, 974
—coat protein genes, strain differentiation, S101
—detection: in aphid vectors, S73; in Texas, S117
—in tobacco, transformed with antibody gene construct, S115
—molecular differentiation, S114
—on citrus, first use of infectious genomic RNA as inoculum, S117
—on orange and grapefruit in Spain, spatio-temporal analyses, 45
—on sour orange, isolates, S1
—on tomato and Datura, transmission, S117
—p27 protein identification, 1331
—technique for studying replication in protoplasts, 830
Ciuffetti, L. M., S91
Cladosporium spp.
—*C. caryigenum*, on pecan, histology, S20
—*C. cucumerinum*, *Sporothrix flocculosa* for control, antibiotic action, 1317
Claflin, L. E., S58, S59, S63
Clark, A. D., S54
Clark, C. A., S80
Clarke, B. B., 398
Clausen, C. A., S69
Clavibacter michiganensis
—detection using PCR ELISA, S11
—on tomato, resistance evaluation, S61
Claviceps purpurea, on rye, characterization and expression of two genes, 1084
Claypool, D. A., S110
Clerodendrum aculeatum, on susceptible plants, induced systemic resistance to viruses, 485
Cleveland, T. E., 824, S71, S94
Clive Lo, S.-C., S95
Clover, peanut stunt virus, root-knot nematode, and drought, effects, 1105
Cluck, T. W., S104
Coakley, S. M., 454
Cobb, A. C., 668, S23, S94
Cobb, F. W., 543, S28
Coca (see *Erythroxylum coca*)
Cochliobolus carbonum
—HC-toxin production, nitrogen effect, S65
—race 1, *Tox2* locus in chromosome, S67
Cocksfoot mottle virus, RNA nucleotide sequence, Russian isolate, 391
Cody, B. C., S68
Coelho, L., S30
Coetzee, M. P. A., S102
Coffey, M. D., S5, S10
Coffman, W. R., 25
Cohen, Y., 1263
Colletotrichum spp.: DNA fingerprinting, S89; genetic diversity, characterization with probes, S89; on Malvaceae hosts, molecular taxonomy, 1076
—*C. acutatum*: on citrus, molecular characterization of slow-growing orange and Key lime anthracnose strains, 523; on fern, survival in soil and plant debris, S49; on strawberry, effect of splash dispersal on disease spread, 864
—*C. coccodes*, on tomato, epidemiology, S3
—*C. falcatum*, on sugarcane, evaluation and heritability of resistance, 662
—*C. gloeosporioides*: on citrus, molecular characterization of fast-growing gray strain, 523; on northern jointvetch, genetic diversity, S95; on northern jointvetch, isolate competition, S81; on *Stylosanthes scabra*, pathogenic diversity, 283
—*C. graminicola*: mutations, conidiation, S88; phytoalexin synthesis, elicitors, S95
—*C. lindemuthianum*, on bean, effect of cultivar mixtures, 668
—*C. orbiculare*: on cucumber, induced resistance by composts, 1066; on cucumber, induced resistance by rhizobacteria, 221; vegetative compatibility, virulence, S62
—*C. trifolii*, on alfalfa, induced systemic resistance by avirulent strain, 1045
—*C. truncatum*, on lentil, windborne dispersal and survival in debris, 1193
Collins, D. J., S59
Compost, soilborne disease and microbial community relation, S8
Comstock, J. C., S113
Condé, B. D., 880
Conn, K., S27
Connell, J., S21
Connell, J. H., S20
Connelly, M. I., 880
Connolly, J. H., S28, S120
Conway, W. S., 1160, S35
Cook, R. J., 354
Coombs, E., S81
Coplin, D. L., S77
Corbell, N. A., S76
Cordisco, K., S124
Corn (see also Maize)
—aflatoxin: production in kernels, protein inhibitory to, S34; synthesis in kernel, inhibitors, S70
—barley yellow dwarf virus, hybrid family sensitivity, S24
—*Bipolaris maydis*: race T toxin, light effect, S26; race T toxin, mitochondria, S26
—ear and kernel rot, effect of cutinase on infection, 824
—foliar diseases, resistance and trait loci, S59
—germ plasm enhancement, S90
—Pythium damping-off, biocontrol with seed-applied bacteria, S54
—root disease, planting date and no-till culture effect in Mississippi, S40
—seed treatment, temperature and biocontrol agents, S23
—transgenic, *Gibberella* infection in kernel, S47
—vascular puncture virus inoculation method, S1
Corn stunt, detection in Central America, ELISA and PCR, S58
Correll, J. C., S62, S89
Cortes, B., S32, S33
Cortesi, P., 1344, S90
Cortés-Ortega, D., S118
Cortéz, E., S117
Coston, C. J., S30
Cotten, T. K., S59
Cotton
—aflatoxin contamination in seed, S strain, S71
—anthracnose diseases, molecular taxonomy, 1076

—bacterial endophytes, S51
—bacterial endophytes in cultivars, seedborne, S97
—pima, Alternaria leaf spot, intensity factors, 123
Cottonwood, wet wood, factors in Arizona, S101
Cotty, P. J., S2, S34, S71
Courneya, D. F., S98
Cournoyer, B., 1051
Coutinho, T. A., S87, S102
Cowles, R. S., S93
Cowling, W. A., 692
Cowpea
—cucumber mosaic virus strain Y, resistance, 946
—rust fungus, resistance and fungal nuclear condition, 1057
Cox, T. S., 588, S24
Craft, C. M., S8
Craig, M. L., S52
Cramer, C. C., S124
Cranberry
—false blossom disease in New Jersey, phytoplasma identification, S125
—fruit rot, bacterium for biocontrol, S119
Crawford, K., S71
Creamer, R., S17, S74, S115
Cronartium spp.
—*C. quercuum*, on pine, season effect, S40
—*C. ribicola*: on white pine, analysis of genetic diversity in cankers, 875; on white pine, biocontrol, S10; on white pine, genetic diversity, S88
Crop disease assessment, predicting progress, S13
Crop loss assessment, digital imaging processing, S13
Crops, monocot and dicot seedlings, *Streptomyces scabies*, thaxtomin A involvement in pathogenicity, 709
Crosslin, J. M., S2
Crous, P. W., S55, S66
Crozier, J. B., S120
Crucifers, black rot, induced resistance, S49
Cruz, J., S2, S85
Cryphonectria parasitica
—genetic diversity: in China and Japan, S90; of RNAs, S19
—on chestnut: correlation of hypovirus transmission with vegetative incompatibility genes, biocontrol, 79; population structure, 1344; suppressed by *Hypovirus* transfection, 301
—vegetative compatibility groups, variations in Michigan, S11
—vegetative incompatibility loci, hypovirus transmission, S29
—vegetative incompatibility to genetics, S90
—virus of, host membrane nature, S5
Csinos, A. S., S100, S107
Cubeta, M. A., S68, S107
Cucumber
—angular leaf spot and anthracnose, induced resistance by rhizobacteria, 221
—bacterial wilt, growth promotion and systemic resistance, S25
—cucurbit yellow stunting disorder virus, characterization, 1370
—Fusarium wilt, antagonist delivery systems in biocontrol, S111
—guttation, virus recovered from, S1
—powdery mildew, suppressed by *Ampelomyces quisqualis*, 195
—*Pythium aphanidermatum* resistance, *Pseudomonas* role, S52
—Pythium root and stem rots and anthracnose, suppression and induced resistance by composts, 1066
—rhizobacteria and biological control, S25
—systemic resistance, bacterial cell surface interactions, S48
—wilt, beetle vector feeding activity, S51
Cucumber mosaic virus
—flow cytometry for detection, 959
—in pepper, systemic resistance induced by bacteria, S83
—on lupin, Gompertz transformation factor, S14
—on muskmelon, replication domain mapping, S7
—strain Y on cowpea, resistance, 946
Cucurbit
—powdery mildew, hyperparasite effect, S53
Cucurbita spp., rind maturity and wounding effects on disease, S121
Cucurbits
—gummy stem blight, phylogenic analysis and RAPD fingerprinting, S35
—yellow vine in Texas and Oklahoma, S104
Cucurbit yellow stunting disorder virus
—cDNAs specific to closterovirus-encoded heat shock protein 70, generation and identification, 1167
—on melon and cucumber, characterization, 1370
Cui, G. H., 887
Cui, J., S16
Cui, Y., S45, S76
Culbreath, A. C., S107
Culbreath, A. K., S55, S100
Cullen, R. E., S50
Culver, J. N., S45
Cummings, T., S31
Cuppels, D. A., S49, S79
Curtis, C. R., S29
Custers, J., S57
Cyperus spp., populations, role of tubers and seeds, S89

da Câmara Machado, A., S13
da Câmara Machado, M. L., S13
Daffodil, hot water treatment, basal rot treatment, S109
da Graça, J. V., S117
Dale, J. L., S17
D'Alessio, N., S32, S33
Dally, E. L., S43, S96, S123
Damann, K. E., 824, S75
Damiani, A., S33
Damicone, J. P., S4
Damsteegt, V. D., 1215, S57, S63, S73, S74, S101
Daniels, M. J., 986
Danielsen, S., S12
Dann, E. K., S32, S57
D'Apice, L., 959
D'Arcy, C. J., S24
Darlington, L., S54
Dashiell, K. E., S27
Datura candida, potyvirus from, characterization, S73
Daub, M. E., S11, S16, S105
Daubert, S. D., S1
Daubèze, A. M., 739
Daughtry, S. M., S82
Davelos, A. L., S11
Davis, J., S98
Davis, J. M., S58
Davis, J. R., 444
Davis, K. R., S8
Davis, M. A., S55
Davis, M. J., 102
Davis, R. E., S43, S96, S123
Davis, R. F., S8
Davis, R. M., S11, S27, S120
Deacon, J. W., 1317, S26
Dean, R. A., S35
Debets, F., 566
de Bree, J., 200
de Bruijn, F. J., S78
de Cock, A. W. A. M., 581
Défago, G., S36, S79
De Jong, A. J., S91
Dekker, R. F. H., S9
De Kochko, A., S72
Delaney, R. H., S110
Delfosse, P., 1234
Del Sorbo, G., 966
de Melo, I. S., S54
DeMilia, M. S., S121
Den Ouden, F. M., 149
Deom, C. M., S44
Dernoeden, P. H., 385
Derrick, K. S., 830, S117
de Ruffray, P., S15
De Sa, P. B., S101
DeTar, W. R., S93
de Uzcátegui, R. C., S114
de Vallavieille-Pope, C., 1112
Deverall, B. J., S57
Devi, P. S., 1234
De Waard, M. A., 1280
De Wolf, E. D., S4
Dianese, A. C., S50
Diaporthe spp.
—*D. ambigua*, on apple, hypovirulent strain containing dsRNA virus, 1311
—*D. toxica*, on narrow-leafed lupin, resistance to latent infection, 692
Diaz, C., S29
Dick, W. A., 1066
Dickson, D. W., 319
Didymella bryoniae, benomyl resistance, cross-resistance, S31
Dienelt, M. M., 650, S100
Diers, B. W., S32
Dietrich, R. A., S19
Dillard, H. R., 668, S23, S77, S94
Dill-Macky, R., S58
Dinesh-Kumar, S. P., S7
Ding, X. S., S7, S18
Di Pietro, A., 1324
Dirkx, F. P. M., 149
Discula destructiva, on flowering dogwood in North Carolina, S39
Disease diagnosis
—computer program for teaching diagnostics, S69
—KOH-aniline blue fluorescent staining, S105
Disease incidence, sampling difficulties, letter to the editor, 132
Dobinson, K. F., S5
Dodds, J. A., S17, S109
Dodson, K. M., S105
Domier, L. L., S75, S92
Doney, J. C., Jr., S60
Donohue, C. M., S80
Dorrance, A. E., S56
Dostaler, D., S21
Doster, M. A., S2, S34, S110
Double, M. L., 1344
Douglas, L. I., S15
Douglas fir, *Fusarium* spp. on seeds, recovery, S65
Doyle, B., S102
Drechslera spp.
—*D. graminea*, sporulation on barley straw extract, S41
—*D. teres*, on barley, induced resistance by *Bipolaris maydis* and *Septoria nodorum*, 602
Drennan, J. L., S121
Drenth, A., 163
Driever, G. F., S86
Drosophila melanogaster, on grape, persistence of *Botrytis cinerea* in, 934
Druka, A., S100
Dry, I. B., 880
Duan, C.-H., S10

Duan, C.-L., S5
Duan, Y.-P., S18
Dubey, T., S61
Duffus, J. E., 622, 1167, S12, S71, S118
Duffy, B. K., 188, S36, S79, S84
Dufresne, D. J., S72
Duke, S. O., S26, S94
Dumenyo, C. K., S76
Duncan, D. F., S65
Duncan, E. J., S48
Duncan, R. A., S110
Duniway, J. M., 1364
Dunkle, L. D., S65, S67
Durán, R., 684
Durkin, S., S73
Duthie, J. A., S4, S86
duToit, L. J., S63

Eastburn, D. M., S84
Eayre, C., S34
Ebbole, D., S11
Echávez-Badel, R., S114
Eckert, J. W., S34
Edmisten, K. L., S28
Edwards, D. L., S32
Edwards, M. C., 184
Eggplant
—*Meloidogyne incognita*, soil amendments for, S8
—tomato bushy stunt virus in Spain, strain characterization, 535
Ehara, Y., 946
Eilam, T., 1057
Elad, Y., 1255, S15, S23
Elder, M., S1
Elias, K. S., S68, S69
El Ismaili, A., S62
El Kaffash, W. M., S67
Elkins, R. B., 841, S61
Elliott, M. L., S22
Ellis, N., 283
Elmer, W. H., S93, S121
Elsinoe spp.
—on citrus: molecular analysis, 1039; species characterization, 1032
Elson, M. K., S53
El-Tarabily, K. A., S9, S54, S62, S97
Emery, K. M., S84
Emmatty, D. A., S61
English, H., 804
English, J. T., S84
Enrenshaft, M., S11
Enterbacter cloacae, metabolism, *Pythium* control, S9
Entwistle, A. R., S116
Enyedi, A. J., S80
Epidemiology
—papaya ringspot virus, multivariate comparison of epidemics, 70
—*Venturia inaequalis* ascospore release, wind tunnel for controlled environment, 596
—white-fly transmitted geminiviruses, conceptual framework illustrated, S113
Epstein, A. H., S23
Erickson, E. O., S31
Erratum
—vol. 85, no. 6, 1995, *800*
Erwin, S. R., S24
Erwinia spp.: amylovora group, molecular differentiation of species, S120; amylovoran and stewartan from, molecular relations, S77
—*E. amylovora*: exopolysaccharide synthesis, *ams* region, S77; nucleotide sequence analysis, *Omp*A gene, S89; on apple, arborspheres for detection, S125; on apple, compatibility of antagonistic bacteria, biocontrol with antibiotics, 834; on apple, flower phenology, S42; on apple, growth stage effect, S16; on pear, antagonistic microorganisms, S82; on pear, characterization of atypical isolates, S120; on pear and apple, identification of antagonistic bacterial and yeast strains, 940; on raspberry and blackberry, inoculation, S125; PCR and PFGE analyses, S12; streptomycin-resistant isolates, in Oregon, S50
—*E. carotovora*: *hrpN* gene, regulation, S76; on banana, association, S113; on potato, effect of deficient siderophore production on pathogenicity, 260
—*E. chrysanthemi*: galacturonic acid uptake gene, regulation, S76; on onion, in New York, S3
—*E. herbicola*: apple fire blight controlled by, DNA fragment, S84; on apple, antagonistic to fire blight, antibiotic compatibility, 834; on beet, host range, S3; on pear, antagonistic to brown spot, isolation and characterization, 856
—*E. stewartii*, on corn, harpin and pathogenicity, S77
—*E. tracheiphila*, on cucumber and cantaloupe, concentration effect, S123
Erysiphaceae
—conidia, fibrosin bodies, S18
—on cucumber, suppressed by *Ampelomyces quisqualis*, 195
Erysiphe graminis, on barley, infection types and genetics of avirulence, 1112
Erythroxylum coca
—Fusarium wilt: biocontrol, S9; effect of temperature and soil conditions on proliferation and survival, 236
Eskridge, K. M., 1222
Eucalyptus marginata
—*Phytophthora cinnamomi*: collar infection, S102; peroxidase activity in roots, S81
—*Phytophthora* spp., resistance, S92
—root: defense mechanisms, oxygen effect, S25; infection, aeroponics chamber for study, S64
Euphorbia esula, *Fusarium* spp., comparative ecology in USA and Europe, S63
Evans, C. K., S58
Evans, K. J., S106
Evans, T. A., S63, S73
Everson, D. O., 444
Eyal, Z., 728, S40

Faggart, E., S105
Faghihi, J., S96
Fairbrother, T. E., S60
Falk, B. W., 622, 1167, S7, S14
Falk, S. P., 1010, S85, S121, S122
Faria, J. C., S48
Faris, J. D., 459
Farnham, M. W., S35
Farr, D. F., S3
Fauquet, C., S72
Fay, J. C., S121
Febres, V. J., 830, 1331, S114
Fedak, G., 719
Feibelman, T. P., S2
Felix-G., R., S84
Fenn, P., S21
Ferge, L., S34
Fernandez, D., 787
Fernández-Pavía, S., S46
Ferrandino, F. J., 685, 806
Ferreira, M. D., S70
Ferris, J. M., S96
Ferris, V. R., S96
Ferwerda, F. H., 102
Fetch, T., Jr., S58
Fett, W. F., 1098
Ficus carica, fig decay, irrigation effect, S110
Fidanza, M. A., 385
Figueira, A. R., S85
Figueroa, W., S114
Fillhart, R. C., S88
Fithian, W. A., S24
Flaherty, J. E., S35, S68, S105
Flasinski, S., S7
Flax, *L6* rust resistance locus, S80
Fleischer, S. J., S123
Fletcher, J., S75, S96, S104
Flora, J., S121
Flores, H. E., S99
Flores-O., A., S116
Florini, D. A., S27
Flurkey, W. H., S100
Foolad, M., S120
Forbes, G. A., S121
Forcelini, C. A., S86
Ford, R. E., S60, S75
Forest
—ecosystems, disease assessment in Blue Mountains, S38
—habitat type, wood-decomposing hymenomycetes, in basidiomes, S66
—products, decomposition in landfills, S87
—root diseases, complexity measurement, S87
—trees, wound closure, commercial compounds in Michigan, S39
Förster, H., S5, S10
Fouly, H. M., S51
Foutz, K. R., S68
Fox, R. D., S55
Fraile, A., 535
Franckowiak, J. D., 887
Francl, L. J., 459, 1360, S4, S80
Frank, A., 1331
Franke, M. D., S30
Frankliniella occidentalis, tomato spotted wilt virus acquisition and transmission, developmental stage, 900
Fraser, D. E., S105
Fravel, D. R., 236, S9, S23, S83, S85
Frazee, J. E., S3
Frazer, R., 428
Frederiksen, R. A., S35, S47
Freeman, T., S82
Freeman, T. L., S76
French, C. J., S1, S44
French, D. W., S38
French, R., 1222
Freppon, J. T., 733
Frías, G., S117
Frías-T., G., S116
Frías-T., G. A., S114
Frighetto, R. T., S54
Fry, B. A., 709, S16, S78
Fry, W. E., 793, S85, S121
Fuchs, M., 417, S43
Fucikovsky, L., S113
Fuentes-Davila, G., S58
Fujisawa, I., 1199
Fukui, H., S36, S51
Fukui, R., S36, S51
Fulbright, D. W., S11, S29
Fungicides (general) (see also Fungicides, specific)
—air-blast spray, electron beam and conductivity analysis, S55
—combinations: methods of determining synergism and antagonism, 1263; synergistic interactions, 1273; synergy, antagonism, and additive action, 1261
—combinations containing demethylation inhibitors, synergism and antagonism, 1280
—demethylation inhibitors for *Uncinula necator*, S31
—registration update, minor use, S2
—synthetic antifungal peptides, systematic identification, S32
Fungicides (specific) (see also Fungicides, general)
—metalaxyl, *Phytophthora infestans* resistance in USA and Canada, origin, 793
—polyoxin, genetic resistance of Japanese pear black spot, 1248

—SSF126 for rice blast disease, control mechanism, 295
—thiabendazole, *Fusarium* spp. resistance, 378
Fusarium spp.: on asparagus in Australia, survey of species, S121; on potato, thiabendazole resistance, 378
—*F. avenaceum*, on *Rubus* spp., biocontrol, S102
—*F. culmorum*, *graminearum*, and *avenaceum*, on wheat and rye, detection by species-specific DNA assay, 515
—*F. graminearum*: deoxynivalenol in conidia, in Minnesota, S58; on maize ears, deoxynivalenol distribution, 110
—*F. moniliforme*: near-isogenic lines, S103; on corn, detection with polyclonal antibodies, S12; vegetative incompatibility, mutant overcoming, S32
—*F. oxysporum*: a 24 kDa elicitor, molecular structure, S67; biocontrol agent for *Papaver somniferum*, S54; chlamydospore mutant, characterization, S9; diploid formation, S33; from coca, effect of temperature and soil conditions on proliferation and survival, 236; heterokaryon formation, compatibility groups, S32; mycoherbicidal strains, formulation, S8; mycoherbicide, sporulation and spore dispersal, S85; on bacterized pea roots, induced resistance by *Pseudomonas fluorescens*, 1174; on banana, disease screening in Honduras, S10; on banana, soil suppressiveness, S52; on carnation, effect of cultivar resistance and population density, 751; on carnation, histochemical resistance, 1018; on coca, geographically diverse population, genetics, S69; on coca, mycoherbicide role, S23; on cotton, polyketide toxins, S19; on date Palm in Morocco, genetic diversity, 787; on *Erythroxylum coca*, RAPD analysis, S68; on *Phaseolus* spp., isolate characterization, 966; on radish, induced resistance by *Pseudomonas fluorescens*, 149; on radish, suppression by *Pseudomonas fluorescens*, systemic induced resistance, 757; on sugar beet, resistance detection, S48; on sweet basil, transmission by soil- and airborne inoculum and seed, 56; on tomato, biocontrol and trace minerals, S36; on tomato, endopolygalacturonase secretion during infection, 1324; on watermelon, controlled by isolates in suppressive soil, 812; on watermelon, race 2 transformation, S45; parasexual cycle, mitochrondrial inheritance, S32; strain interactions, soil microbial biomass, S83
—*F. polyphialidicum*, moniliforme produced by, phytotoxicity, S94
—*F. proliferatum*, on grape, suppression of downy mildew, postinfection application, 1010
—*F. sambucinum*, *Brassica* spp. as green manure for suppression, biocontrol, 267
—*F. solani*: cutinase transcription factor 1, cloning, S47; on soybean, effects of soil temperature and moisture, 642; on soybean, phytotoxin characterization, 277; on soybean, resistance screening by regeneration from suspension cultures, 714; pectate lyase gene family, S20

Gadoury, D. M., 596, 1010, S85, S121, S122, S123
Gaeumannomyces graminis
—on wheat: molecular diagnostic test, S124; management methods in Virginia, S120; suppressed by *Trichoderma koningii*, combination with pseudomonads, 188
—*Phialophora* and *Bacillus* for suppression, S52
Gaffney, J. F., S10
Gale, M. D., S19
Gamard, P., S122
Gambley, C. F., S17
Gamliel, A., 56
Gangemi, J. D., S93
Gao, H. P., 1156
Garbelotto, M., 543, S28
Garbeva, P., 63
García, E., 70
García-Arenal, F., 535
García-E., R., S114, S116
Garcia-Jimenez, J., S3, S104
Gardezi-A., K., S114
Garibaldi, A., S83
Garlic
—mixed virus infections, differentiation by RT-PCR and immunoassay, 253
—potyvirus, methods of obtaining virus-free seeds, S117
—white rot, adaptation response and yield, S117
Garner, J., S68
Garnsey, S. M., 974, S1
Garraway, M. O., S26
Garrett, K. A., S14
Garrido-Ramirez, E. R., S17, S43
Garzón, J., S117
Garzón-Tiznado, J. A., 1186, S117
Gates, R. N., S24
Gavassoni, W. L., S86
Gay, J. D., S108
Gay, P. A., S24, S94, S105
Gazar, A. A., S5, S90
Geary, B., S31
Gebre-Selassie, K., 739
Geering, A. D. W., S14
Geider, K., S12, S77
Geiger, H. H., 515, S41
Geiger, J.-P., 787
Geminiviruses
—distribution in Mexico, S117
—subgroup III, detection, 1288
Genet, J.-L., S31
Geranium
—bacterial leaf spot, *Acidovorax* spp., S42
—gray mold, biocontrol, S82
—leaf spot, new, S50
—seed rot, S110
—seed rot, *Paenibacillus* cause, S111
Gergerich, R. C., S74
Gerhardt, S. A., S65
German, T. L., 849, S7
Geske, S. M., S99
Ghabrial, S. A., S17
Ghini, R., S83
Gibbera vaccinicola, on highbush blueberry, identification, S124
Gibberella fujikuroi, on corn residue, survival, S59
Gibbs, J., S64
Giesler, L. J., S52
Gilbertson, R. L., 1204, S1, S3, S11, S17, S43, S45, S117
Gildow, F. E., S123
Gill, B. S., S24
Girard, M., 934
Gisi, U., 1273
Gitaitis, R. D., S105, S108
Glenn, D. M., S125
Gliocladium virens, gliotoxin production, self-resistance analysis, S38
Gloeophyllum trabeum
—cellulose biodegradation, S87
—on red spruce sapwood, two-way translocation of ions, S120
Glomerella cingulata
—mating system, S10
—on cranberry: fungicide sensitivity, S21; repetitive DNA sequence characterization, S125
Glomus intraradices, antagonism by *Trichoderma harzianum*, mycoparasitism, 434
Glycine max, nematode, nutrition effect, S46
Goins, T. L., S64
Goldbach, R., 900
Goldhamer, D. A., S110
Golino, D. A., S1
Gómez, G. M., S114
Gómez-Galué, J., S114
Gómez-Guillamón, M. L., 1370
Gonsalves, D., 417, S16, S43
Gonzalez, C. F., S32
Gonzalez-Hernandez, V., S57
Goodell, B., S87
Goodman, R. M., S83
Goodwin, S. B., 793, S90
Gopalan, C. S., S46
Gordon, D. T., S18, S72
Goth, R. W., S122
Gottwald, T. R., 45, S4, S22
Gouin-Behe, T., S33
Gouk, S. C., S42
Govers, F., S91
Gowda, S., S73
Grabau, E. A., S124
Grace, E. A., S78
Gracia-Garza, J. A., S23, S85
Graetz, D., S14
Graham, J. H., S6
Graham, M. Y., S25
Graham, T. L., S25, S80, S81
Grant, S., S5
Grape
—Botrytis bunch rot, persistence in fruit fly vector, 934
—bunch rot, chemical and biocontrol, S110
—downy mildew, suppression by *Fusarium proliferatum*, postinfection application, 1010
Grapefruit
—citrus tristeza virus in Spain, spatio-temporal analyses, 45
—psorosis-like agent, in Florida, S1
Grasses, forage, pathogenic *Xanthomonas* spp., recognition and detection in seed, 63
Grau, C. R., 1140, S5, S66
Graves, W. R., S2
Gray, F. A., S110
Gray, L., S10
Gray, L. E., 1140, S5
Gray, S. M., 370, S75
Grebus, M. E., S110
Green, D. E., II, S6
Green, F., III, S34, S69
Greer, C. A., S20
Grelen, L. B., S75
Griffiths, H. M., S39, S122
Grisham, M. P., S11, S42
Grosjean, O. K., S83
Gross, D. C., S76
Gross, P. L., S59, S78
Grosser, J., 830, S117
Groth, J. V., S32
Grove, G. G., S20
Grumet, R., S99
Grybauskas, A. P., 385
Gu, F., S100
Gu, Y.-Q., S80
Gubler, W. D., S31, S61, S112
Guerber, J. C., S89
Guerini, M. N., S83
Guertal, E., S6, S51
Gumpertz, M. L., S108
Gumpf, D. J., 974
Gundersen, D. E., S43, S96
Guo, B. Z., 824, S71
Guo, L. Y., S65, S94
Guo, W., S20
Guo, Y. H., S87, S96
Guo, Z., S52
Guthmiller, M. A., S39
Gutierrez, W. A., S13
Gutierrezia sarothrae, rhizosphere microbiology, in New Mexico, S97
Guzmán, M., S32
Guzman, P., S43

Hacioglu, E., S77
Hadidi, A., 575, 1215, S101
Haemmerli, U. A., S19
Hafez, S. L., 444
Hagan, A. K., S93
Hajimorad, M. R., S7
Hakulinen, J., 757
Halik, S., S122
Hall, T. J., S38
Halperin, T., 728
Hamelin, R. C., 875, S88
Hamer, J. E., S34
Hamilton, R. I., 110
Hamlen, R. A., S31
Hamm, P. B., S13
Hammerschmidt, R., S25, S32
Hammond, J., S13
Hammond, R. W., S2, S73
Hampton, R. O., S18
Han, D. Y., S8, S53
Hanau, R. M., S88
Hancock, J. G., S110
Handelsman, J., S83
Hannusch, D. J., 156
Hansen, D., S95
Hanson, L. E., 378, S10
Hanson, P. M., S24
Hao, J. J., S14
Haploporus odorus, ethnomycological investigation, Native Americans, S49
Haran, S., 980
Harder, D. E., 627
Harding, R. M., S17
Hardy, V. G., S17
Harkins, K. R., S98
Harman, G. E., S9
Harper, F., S115
Harper, G., S100
Harrington, T. C., S28, S29
Harrison, S. A., S57, S80
Hart, J. H., S39
Hart, S. E., S69
Hartin, J. E., S110
Hartin, R. J., S22
Hartitz, M. D., S43
Hartman, G. L., 277, 714, S12, S35, S47, S59
Hartung, J. S., 95, S11, S74
Hartwig, E. E., S92
Harveson, R. M., 1242
Hase, S., 946
Haseloff, B. J., S76
Haskins, E. K., S97
Hatley, O. E., S124
Hatziloukas, E., S15, S77
Hauber, D. H., S11
Hausbeck, M. K., S3
Hawes, M. C., 563
Hayward, A. C., S17
He, X.-H., S17, S74
Headrick, J. M., S27
Heath, M. C., 1057
Hebbar, K. P., S8
Hebbar, P. K., S9, S23
Heidel, G. B., S105
Heidenreich, M. C., S122
Heikkinen, E., S5
Hein, G. L., 1222, S99
Helicoverpa zea, on maize, *Steinernema* spp. for biocontrol, S114
Hellmich, R. L., S47
Helminthosporium spp.
—*H. solani*: action using DNA ITS regions, S12; on potato, biocontrol, S53
—*H. victoriae*, virus of, in insect cells, S17
Henríquez, P., S58
Henry, J. M., S110
Henry, M., S85
Henson, J. M., S64
Herbicides, oryzalin and pendimethalin, for crown and root rot of deciduous fruit trees caused by *Phytophthora* spp., 906
Hernández, M., S117
Hernández Castillo, F. D., S113, S114
Hernández-E., J., S114
Herrero, S., S105
Heterobasidion annosum
—in forests, molecular differentiation of intersterility groups, 543
—intersterility groups, speciation implication, S28
Heterodera spp., cyst nematode phylogeny, DNA sequence, S96
—*H. glycines*: fungal antagonists for biocontrol, cyst wall penetration, 319; on soybean, iron-protein relations, S46; on soybean, race 2 and 5 resistance, S28
Hicks, J. K., S19
Hiebert, E., 608, S18, S93, S99, S101
Highley, T. L., S34, S88
Hill, J. H., S23
Hill, J. P., S109, S111, S112
Hillman, B. I., 398
Hintz, W. E., S22, S29
Hiremath, S. T., S68
Hoagland, R. E., S97
Hobbs, H. A., S72
Hochmuth, R. C., S71, S118
Hodge, N. C., S42, S50
Hodgson, R. A. J., S118
Hoefnagels, M. E., S65
Hoffer, M. E., 454
Hoffland, E., 757
Hoffman, K., S99
Hofstra, T. S., S101
Hoitink, H. A. J., 1066, S6, S8, S53, S82
Holmes, G. J., S115
Holobasidiomycetes, ambrosia and bark beetle association, phylogeny, S28
Holtman, M. A., S122
Holtz, B. A., S4, S81, S110
Holzer, F. M., S80
Homann, V., 1084
Hong, C. X., S4, S81, S110
Hong, Y., S74
Hood, M. E., 38, 704, S105
Hopkins, D. L., 812, S106
Hoplolaimus columbus, on cotton, systems management, S28
Horner, I. J., 1122, 1133
Horsley, S. B., S38
Horst, L. E., S55
Hosokawa, D., 1199
Host pathogen relations, cellulose binding domain, role analysis, S91
Hou, Y.-M., S43, S45
Howd, D. S., S74
Howell, C. R., S19
Hoy, J. W., 662
Hoyer, U., 744, S100
Hsiau, P. T. W., S28
Hsieh, M.-C., S81
Hsu, H. T., 650, S43
Hu, C.-C., S17
Hu, J. S., 608, S43
Hua, D., S40
Hua, S.-S. T., S83
Huang, H. C., 361
Huang, J. S., S46, S97
Huang, N., 25
Huang, S., S17
Huang, Y., S45
Huang, Y. H., 714, S12, S47
Huang, Z.-Y., S34
Hubbard, J. C., 1303, S14
Huber, D. H., S29
Huff, D. R., S89
Hughes, G., 132, S13
Hughes, P. L., S73
Huisman, O. C., 444
Hulbert, S. H., S75
Hull, R., S100
Hulse, M. M., S60
Hunt, A. G., S74
Hunter, W. B., S93, S115
Hurley, S. D., S72
Huss, M. J., S103
Hussien, T., S24
Hutchings, S. O., S42
Hydrilla verticillata, underwater disease, epidemiology, S13
Hydroponic, spectral quality effect on cucumber, pepper, and tomato, S14

Iannelli, D., 959
Ibañez, A. M., S22
Ikeda, R., 25
Ikehashi, H., 1071
Illman, B. L., S88
Imbe, T., 25, S46, S47
Impatiens necrotic spot virus, ultrastructural comparisons of isolates, 650
Indian peanut clump virus, broad-spectrum detection, 1234
Inglis, D. A., S56
Innes, J. L., S124
Irrigation, explosives in contaminated water, plant uptake, S86
Irwin, H., S87
Irwin, J. A. G., 163
Irwin, S. V., S19
Isaacs, R., S113
Ismail, E. A., S51
Israel, B. A., 849
Itnyre, R. L., S24
Ivancovich, A., S12, S69, S93
Ivors, K., S98

Jackson, R., 1051
Jacobi, W. R., S102
Jacobs, A. S., 588, S58
Jacobs, K., S86
Jacobs, K. A., S88
Jacobsen, B. J., S48, S70
Jacobson, D. J., S5, S64
Jacques, C., S123
Jaime-G., R., S84
Jain, R. K., S60
Jalapeño pepper virus, on serrano pepper in Mexico, agroecology, S117
James, D., S44
Jan, F.-J., S16
Jana, M. K., 1234
Janisiewicz, W., 473, S89
Jasalavich, C., S20
Jeffers, D., S58
Jelkmann, W., 744, S45, S100, S101
Jellison, J., S28, S87, S102, S120
Jemmerson, R., 170
Jennings, J. C., S67
Jenns, A. E., S11
Jetiyanon, K., S49
J.-Hare, S., S123
Ji, P., S50
Jian, J., S68
Jiménez, A., S32
Jin, H., 277, 714, S92
Jin, Y., 887, 1299
Joe, L., S71
Johansen, I. E., S18
Johnson, B. J., S26, S42, S94
Johnson, D. A., 480, S13, S31
Johnson, K. B., 834, S50
Johnson, M., S15
Johnston, M. R., S41
Johnston, S. A., S121
Jomantiene, R., S123

Jones, J. B., 1098, S15, S42, S49
Jones, M. J., S65
Jones, M. W., S90
Jones, R. A. C., S14
Jones, R. K., 138
Jones, R. W., S91
Jones, S. S., 1228
Jordahl, J. G., 459, S80
Jordan, R. L., S99
Jørgensen, H. J. L., 602
Judelson, H. S., 763
Julián, M. C., 566
Jumel, K., S77
Jun, S. J., S34
Jurzysta, M., S97
Juzwik, J., S38

Kabelka, E., S99
Kaiser, R. P., S123
Kaliyeva, G. T., S79
Kallas, M. A., S102
Kamoen, O., 63
Kaniewski, W., S56
Kanno, T., S66
Kapat, A., S23
Karasawa, A., 946
Karasev, A. V., 974
Karkashian, J., S101
Katan, J., 56
Katan, T., 56
Kaufmann, P., S49
Kawalek, M. D., 31
Keane, J., S122
Keever, T., S58
Keijer, J., 566
Keinath, A. P., S31, S35, S106, S107
Keith, L. M., S75, S78
Kelkar, H. S., S71
Keller, K. E., S18
Keller, N. P., S19, S71
Kelley, R., S119
Kelly, C., S125
Kelly, J. D., S90
Kema, G. H. J., 200, 213, 777
Kenerley, C., S22
Kenney, M., S69
Kent, S. J., S16
Kerr, E. D., S56
Kessman, H., S30
Khan, A., S84
Khan, N. I., S27, S83
Khimani, A. H., S100
Kielbaso, J. J., S39
Kiewnick, S., S48, S70
Kim, D. H., 509, 1238, S45
Kim, K. D., S53
Kim, S. H., S6, S124
Kim, S. J., S68
Kim, Y. C., S76
Kimati, H., S55
Kinard, G. R., S99
King, R. M., S38
Kinkel, L. L., 138, S85
Király, L., S6
Kirkpatrick, B. C., S16, S44, S112
Kistler, H. C., S10
Kitto, S. L., S63
Klaassen, V. A., 622, 1167
Klassen, G. R., 581
Kleinkopf, G., S83
Kline, A. S., S17
Kloepper, J. E., S51
Kloepper, J. W., 221, S25, S26, S48, S50, S51, S82, S83, S97
Klopmeyer, M., S43
Kloppers, F. J., 588
Knight, J. R., S118
Knorr, D., 993
Knudson, M. J., S87
Ko, W. H., S65
Kobayashi, D. Y., S119, S122
Koenig, R. L., S10
Koenning, S. R., S28
Koev, G., S7
Kogel, R., S73
Kohli, Y., S68
Kohn, L. M., S68
Koike, S., S4
Koike, S. T., S3, S27
Kokalis-Burelle, N., S26
Kolaczkowski, E. K., S33, S58
Kolattukudy, P. E., S20, S47
Kolb, F. L., S92
Kole, C., 367
Kolmer, J. A., 627
Kopp, R. F., S40
Kosman, E., 1152, 1263
Kosted, P. J., S65
Kotar, J., S66
Kousik, C. S., 952, 502, 1336, S78, S79, S106
Krake, L. R., 880
Kramer, J. B., 102
Krause, C. R., S55
Krick, T., S42
Kritzman, G., S27
Kropp, B. R., S36, S95
Krupinsky, J. M., S41
Krutov, A. A., 391
Kucharek, T. A., S106
Kuflu, K., S79
Kuhl, G., 934
Kuhn, D. N., S32, S33
Kumar, D., 485
Kumar, S., S58
Kumari, S. R., S35
Kurtböke, I. D., S9, S97
Kuruppu, P. U., S40
Kuster, T. A., S34
Kuti, J. O., S92
Kutumela, M. L., S62
Kwon, C. Y., 1360, S80

Laccaia bicolor, on red pine seedlings, gene cloning, S68
Laco, G., S72
Lacy, G. H., S124
Laemmlen, F. F., S115
LaFleur, D. A., S100
Laird, D. W., S46, S97
Lakhdar, R., S62
Lakshman, D. K., S68
Lalith, W. R. B., S30
Lamboy, J. S., S23
LaMondia, J. A., S93
Lampel, M., S24
Lamppa, R. S., S59, S78
Lamprecht, S., S45
Landis, J. N., S119, S123
Langham, M. A. C., S72, S73
Langlotz, C., S77
Langston, D. B., Jr., S123
Lantern 'ilima (see Maple, flowering)
Lara-V., F., S114
Larkin, R. P., 236, 812, S9, S83
Laroche, A., 361
Larsen, P. O., S98
Larson, D. M., S80
Latham, A. J., S20
Latin, R., S106
Lavatera trimestris, anthracnose diseases, molecular taxonomy, 1076
Lawrence, C. B., S24, S106
Lawson, C., S56
Lawson, R. H., 650, S43, S100
Lazarovits, G., S27
Leach, J. E., 241, 1352, S78, S79
Leafy spurge, biocontrol with *Fusarium* and *Rhizoctonia*, native grass effect, S95
Leath, S., S47, S56
Leavitt, G. M., S110
LeBlanc, M., S59
Lecoq, H., 1294
Lee, F. N., S4, S74
Lee, I.-M., S43, S96
Lee, J. M., S59
Lee, L., S17
Lee, M., 340
Lee, R. F., 830, 974, 1331, S1, S101, S113, S114, S115, S116, S117
Lee, Y. H., S34
Leeman, M., 149
LeFebvre, S. M., S5
Lefebvre, V., 739
Lehman, J. S., 633
Leifert, C., 428
Leiner, R. H., 709
Leininger, T. D., S87
Leisner, S. M., S44
Lenardon, L. S., S18
Lennox, C., S55
Lentil, anthracnose, windborne dispersal and survival in debris, 1193
Lentinula edodes, hardwood sawdust effect on yield, S63
Leonard, K., S15
Leonard, K. J., S85
Leone, G., 993
Leptosphaeria narmari, on bermudagrass in North America, S75
Lesemann, D. E., 744, S100
Leslie, J. F., S32, S103
Lester, D. G., S38, S94
Letter to the editor
—2D distance class analysis of disease-incidence data, 685
—arbuscular mycorrhizal colonization and border cell production, correlation, 563
—disease incidence, sampling methods, 132
—geometric dispersal to explain variation in fitted dispersive length scale, 806
—pathogen fitness, host population estimation by linear models, 561
—pathogen populations, new indices to measure genetic diversity between and within populations, 1152
—spatial analysis of epidemics, simplified using disease foci, 332
—van der Kamp-Tait model for resistance selection, 1008
Lettuce
—big vein, spatial analysis under irrigation, S14
—downy mildew in California, geostatistical analysis, S4
—*Meloidogyne hapla*, antagonists and soil amendments for, S23
—*Sclerotinia minor*, irrigation effect, S27
Lettuce chlorosis virus
—characterization, S115
—cytopathology of infection, S71
—cDNAs specific to closterovirus-encoded heat shock protein 70, generation and identification, 1167
Lettuce infectious yellows virus, cDNAs specific to closterovirus-encoded heat shock protein 70, generation and identification, 1167
Leuconostoc mesenteroides, on sweet pepper, postharvest rot, S71
Leucostoma cincta, on nectarine, conidial production, S20
Leung, H., 241, 311, 1352, S19, S33, S78
Levay, K., S74
Levy, L., S57
Lewis, J. A., S8, S23
Li, D., S47
Li, H., 428
Li, R. H., S12, S71, S118
Li, S., S12

Lichter, A., S88
Liddell, C. M., S46, S88, S97
Liebenberg, M. M., S5, S94
Lilja, P. R., S38
Lily virus X, detection with direct tissue blotting, S72
Lim, H. S., S60, S75
Lime (see also Citrus), bark cracking in Mexico, viroid infection association, S113
Lin, X. H., 1156
Linderman, R. G., S54, S65
Lindner, D., S66
Lindow, S. E., 841, 940, S16, S42, S50, S82, S111
Lindsey, D. L., S62
Line, R. F., 1228, S19
Linscombe, S. D., S24
Lipps, P. E., 733
Little, E. L., S16
Liu, H.-Y., 622, S12, S71, S118
Liu, J., S19, S87
Liu, J. Q., 627, 1000
Liu, L., S27
Liu, Y.-C., 79, 1344
Liu, Z. L., S69
Livingston, W. H., S101
Locke, J. C., S6
Lockhart, B. E. L., S100
Long, D. H., S4
Long, R. P., S38
Loomis, P., 311
LoParco, D. P., S3
Loper, J. E., 31, 260, 834, S50, S76
Lopes, S. A., S75
López, M. J., 528
López, M. M., 528
Lopez-Ferber, M., 934
Lopez-Moya, J. J., S7
López-Sesé, A., 1370
Lorbeer, J. W., 1261, S3, S121
Lord, W. G., S124
Loria, R., 267, 378, 709, S10, S12, S16, S78
Lorito, M., 966
Louie, R., S1, S72, S90
Louis, C., 934
Louws, F. J., 1352, S78
Lucas, W. J., 1204, S45
Ludwig, J. W., S3
Luis-Arteaga, M., 535
Lukezic, F. L., S82, S123
Lumsden, R. D., S8, S9, S23, S38
Lund, A. E., S101
Lundeen, P., S64, S84
Lundquist, J. E., S38, S87, S102
Luo, Y., S81
Lupin
—cucumber and alfalfa mosaic viruses mixed, quantification, S14
—hypocotyl rot in western Australia, environment, S58
—narrow-leafed, Phomopsis stem blight, resistance to latent infection, 692
—seedling diseases, crop rotation and tillage effect, S59
Lupton, J. A., S86
Luster, D. G., S82
Lycopersicon peruvianum, nematode, heat-stable resistance, S56

Maalouf, R., S71
Maas, J., S123
MacDonald, G., S119
MacDonald, W. L., 1344
Mackenzie, D. J., S44
Maclean, D. J., 163
Macrophomina phaseolina
—endoglucanase, immunodetection, S91
—on bean, inherited resistance, 674
Madden, L. V., 132, 864, S4, S13, S85
Madritch, M., S35, S84
Maes, M., 63
Magarey, R. D., S123
Magill, C. W., S35, S45, S47
Magnaporthe spp.
—*M. grisea*: appressorium control, transduction pathway, S34; appressorium-deficient mutant, genetic analysis, S34; pathogenesis, transcriptional regulator, S33; pathogenicity, leucine-rich repeat protein, S11
—*M. poae*, on turfgrasses, identification and relationship to other fungi, 398
Magyarosy, A., S111
Mahaffee, W. F., S26
Mahmood, T., S99
Main, C. E., S58, S108
Maiss, E., 744, 1215, S100
Maiti, I. B., S44, S74
Maize (see also Corn)
—ear rot, deoxynivalenol distribution, 1 10
—gray leaf spot, trait selection for resistance, 733
—smut, pollinated ovaries and susceptibility, S124
Maize chlorotic dwarf virus, tolerance genes, in Caribbean, S90
Maize dwarf mosaic virus, nucleotide and immuno acid sequence, S18
Maize rayado fino virus, distribution in Latin America, S73
Maize streak virus
—intergenic region, sequence variation, S18
—resistance in Kenya, S72
Majerczak, D. R., S77
Makihara, D., S46
Malva pusilla, anthracnose diseases, molecular taxonomy, 1076
Malvick, D. K., S63
Maness, N. O., S47
Manion, P. D., S38
Manjunath, K. L., 830, 1331, S115, S116
Manuscript preparation, author's guide, 7
Mao, W., S23
Maple
—flowering, Abutilon mosaic virus in Hawaii, nucleotide sequence of nonvector-transmissible strain, 608
—sugar, decline, nutrient status in Pennsylvania, S38
Maramorosch, K., S115
Maratos, M., S73
Marder, J. B., 195
Marett, C. C., S98
Margosan, D. A., S33
Markham, P. G., S18
Marlow, J. L., S54
Martin, F. N., 812
Martin, R. R., S18
Martinez, J. P., S32
Martinez, R., S85
Martínez-Espinosa, A. D., S64
Martinez-Miller, C., S79
Martínez-Soriano, J. P., S113
Martinson, C. A., S64, S70
Martyn, R. D., S37, S45, S107, S115, S116
Masangkay, R. F., S22
Mason, R. E., S107
Masuko, M., 295
Matheke, G., S37
Mather, D. E., 110
Matheron, M. E., S4, S111
Matsuda, Y., S34
Mavity, E., S39
Maw, B. W., S108
Mawassi, M., 1331
Maxwell, D. L., S102
Maxwell, D. P., S101
May, L. L., S55
Maynard, C. A., S26
Mayo, M. A., 1234
Mayton, H. S., 267, S121
Mazarei, M., S93
Mazzola, M., 354, S5
McBeath, J. H., S37, S45
McCabe, P. M., S5
McCarthy, M. K., S9, S54
McClure, M. A., 498
McComb, J. A., S25, S39, S64, S102
McCormick, T. W., S89
McCouch, S. R., 25
McDaniel, L. L., S73
McGourty, G., 841, S16
McGovern, R. J., S6, S115
McGrath, M. T., S53, S123
McInroy, J. M., S42
McKay, A. G., S62
McKenry, M. V., S93
McLain, J. M., S115
McLaughlin, M. R., 1105, S60
McMillan, R. T., Jr., S2, S125
McNeil, J. E., 1222
McRoberts, N., S13
Meade, M. J., S107
Mehta, A. D., S105
Mehta, P., S73
Meinhardt, S. W., 1360, S80
Melakeberhan, H., S46
Melaleuca, control with fungus and herbicide, Florida, S22
Melampsora medusae, on hybrid poplar, resistance gene, 87
Melcher, U., S18, S96
Melchers, L. S., S57
Melchor, N. L., S113
Melgar, J. C., S46
Melin, J. B., S98
Meloidogyne spp.
—*M. incognita*: on clover, effect, 1105; on cowpea, resistance, S111; on potato, identification, S113; race 3 on *Sesamum* spp., gall production, S98
—*M. incognita* and *hapla*, on tomato, induced systemic resistance and susceptibility, 499
Melon (see also Cantaloupe and Muskmelon)
—cucurbit yellow stunting disorder virus, characterization, 1370
—vine decline, *Stagonospora*-like fungus on roots, S3
Melon necrotic spot virus, vector-assisted seed transmission, 1294
Melton, T. A., S2, S58
Mendoza-Onofre, L., S57
Menge, J. A., S30
Mengistu, A., 367, S66
Mercier, J., 940, S82
Mereddy, R., S62
Merrill, A. H., Jr., S26
Merrill, W., S39
Mervosh, T. L., S93
Messenger-Routh, B. J., 763, S30
Meulia, T., S18
Mew, T. W., 241, 1352, S78
Meyer, F. A., S7
Meyer, J., S38
Meyers, D. M., S35, S68, S107
Mezzalama, M., S83
Miao, B., S93
Micales, J. A., S87
Michael, A. H., S6
Michailides, T. J., S2, S4, S22, S34, S65, S81, S110
Michels, J., S44
Mickler, C. J., S5, S10
Microorganisms
—chitinolytic activities, method for detection, S94
—dispersal, rainfall, energy measurement, S85
Miki, N., 295
Miklas, P. N., S125

Milgroom, M. G., 79, 1344, S19, S90
Miller, C. D., S76
Miller, F. C., 1098
Miller, J. D., S113
Miller, J. S., 1234, S13
Miller, M. E., S3, S37, S107, S115, S116
Miller, S. A., S79, S82, S92
Miller, T., S40
Miller, T. C., S111
Miller, W. A., S7, S75
Milligan, S. B., 662
Mills, D., S11, S88
Milus, E. A., S40
Mink, G. I., S2
Minsavage, G. V., S15
Minton, N. A., S29
Mirabilis jalapa, viruses inhibited by extracts, S99
Mircetich, S. M., 290
Mirkov, T. E., S17
Mirocha, C. J., S33, S58
Misaghi, I. J., 1238
Mischke, S., S45
Mishra, A. N., S48
Mitchell, D. J., S6, S30
Mitchell, J. R., S69
Mitra, A., S74
Mizubuti, E. S. G., S85
Mizutani, A., 295
Models
—2D distance class analysis of disease-incidence data, letter to the editor, 685
—anthracnose of strawberry, effect of splash dispersal on disease spread, 864
—brown patch on perennial ryegrass, weather-based disease-warning, 385
—citrus tristeza virus on orange and grapefruit in Spain, spatio-temporal analyses, 45
—dose-response, biocontrol of plant pathogens, 464
—fungicide combination action, 1263
—geometric dispersal to explain variation in fitted dispersive length scale, letter to the editor, 806
—guidelines for analysis of synergism and fungicide joint action effects, S121
—leaf wetness factors, sensor calibration and duration prediction, S123
—linear discriminant and logistic regression analyses for potato late blight forecasting in Washington, 480
—mechanistic, temperature and wetness duration, foliar disease, S4
—pathogen fitness in host populations estimation, letter to the editor, 561
—sexual reproduction frequency in pathogens, mating-type linked molecular markers, S19
—van der Kamp-Tait for resistance selection, letter to the editor, 1008
Mogen, B., S96
Mohan, B. R., S7
Molendijk, L., S57
Moline, H. E., S70
Möller, E. M., 515
Molnar, S. J., 719
Momol, E. A., S15, S120
Momol, M. T., S15, S16, S92, S120
Monilinia fructicola
—on peach, cutinase production, S26
—on stone fruits: inoculum sources, survey, S110; mummified, S81
—survival in mummified fruits, California, S4
Monosporascus cannonballus
—hyphal anastomosis transfer, phenotypic change, S37
—on cantaloupe: ascospores, role in infection in Arizona soils, 509; fungicide, application method, and cultivar effect, S116
—on watermelon, detected in Mexico, S115
Montesinos, E., 464, 856
Monti, L., 959
Moore, C. L., S4
Moore, L. W., 31, S98
Moorman, G. W., S125
Mora-Aguilera, G., 70
Moraes, F. H. R., S85
Morehart, A. L., S62
Morelock, T. E., S44, S62
Moreno, P., 45
Morgan, C. T., S9, S54
Morgan, D. P., S22, S110
Morgan, L. W., 1076
Morgan-Jones, G., S54
Morozov, S. Yu., 391
Morrall, R. A. A., 1193
Morrell, J. J., S38
Morrison, D. E., S28
Moury, B., 739
Moyer, J. W., S99
Muchovej, J. J., S89
Mucor piriformis
—polygalacturonase activity, detection with reagent, S81
—zygospore germination, culture age and nutrient effect, S65
Mucuna deeringiana, root-knot nematode, resistance mechanisms, S118
Mukherjee, A., S76
Mullet, J. E., S47
Mullinix, B. G., S66
Mullin-Schading, B. A., S3
Mundodi, S. R., S47
Mundt, C. C., 347, 454
Muniyappa, V., S96
Munkvold, G. P., 132, S47, S59, S86
Muñoz, C. I., S116
Munster, M. J., S60
Murakami, H., S66
Murphy, J. F., S44, S72, S73, S83
Murphy, J. P., S47, S56
Murray, T. D., 177
Mushroom
—cultivated, brown and ginger blotch, characterization, 1098
—green mold, infection prior to casing, effect, S125
—Verticillium disease suppressed by spent mushroom substrate, thermal process effect, S125
Muskmelon (see also Cantaloupe and Melon)
—Alternaria leaf blight, forecaster for, S106
—*Monosporascus cannonballus*, hypovirulence, dsRNA, S107
—root rot and vine decline, biocontrol, S37
Musselman, C. A., S6
Musson, G., S53
Mutasa, E. S., 493
Mycoherbicide, *Fusarium oxysporum* on coca, temperature and soil condition effect on proliferation and survival, 236
Mycorrhizae, arbuscular colonization correlation with border cell production, letter to the editor, 563
Mycosphaerella spp.
—*M. caryigena*, on pecan in Nuevo Leon, Mexico, ascospore release, effect, S118
—*M. citri*, irrigation and leaf litter effect on inoculum, S20
—*M. fijiensis*, spore distribution in banana canopy, S85
—*M. fragariae*: on strawberry, temperature and cultivar effect, S61; on strawberry, temperature and leaf wetness effect, S21
—*M. graminicola*: analysis of interaction of isolate and cultivar resistance, 213; enzyme polymorphism, S90; on wheat, compatible and incompatible interaction effect on resistance, 777; on wheat, host selection, 454; on wheat, interaction of isolate and cultivar resistance, 200
Mycotoxins
—aflatoxin: biosynthesis, pathway genes, S35; synthesis gene, S35
—deoxynivalenol, distribution in maize ears, 110
Myzus persicae, tobacco etch virus vector, mineral oil, retention and transmission, 820

Naidu, R. A., 1234
Nameth, S. T., 614, S72
Nanni, B., 966
Nash, C., 1076
Nassar, H. H., S111
Nasu, Y., 946
Navarrete-M., R., S116
Ndowora, T. C. R., 138
Nelson, A. J., S67, S68, S69
Nelson, B. D., S82
Nelson, E. B., S8, S9
Nelson, M. R., S84
Nelson, R. J., 241, 1352, S47, S78
Nelson, R. S., S18, S74
Nelson, S. C., 332, S35
Nemchinov, L., 575, 1215, S101
Nemec, S., S53
Nephotettix virescens, rice tungro spherical and bacilliform viruses vector, molecular mapping of resistance, 25
Nesme, X., 225
Nesmith, W. C., S107
Nester, S. E., S92
Newcombe, G., 87, S48
Newton, M. R., S85
Ngwira, P., S18
Niblett, C. L., 830, 1331, S101, S114, S115
Nicholson, R. L., S95
Nickell, C. D., 277, 714
Nicotiana benthamiana, tospovirus isolates in, viral glycoprotein, S100
Niemira, B. A., 144, 563
Nieto-Angel, D., 70
Nigh, E., S121
Nikolaeva, O. V., 974
Nimtz, M., S77
Njuguna, J. G. M., S72
Nordheim, E. V., 914, S66
Nordhousen, R., S111
Norelli, J. L., S16, S92
Norman, D. J., S49, S50
Normoyle, M. R., S6
Northover, J., S31
Noueiry, A. O., S45
Noviello, C., 959, 966
Novikov, V. K., 391
Ntahimpera, N., 668, S4, S85
Nuss, D. L., 301
Nutter, F. W., Jr., S14
Nzioki, H. S., S58, S59

Oak
—decline syndrome, oak physiology, S87
—wilt: toxic metabolite response, S87; transmission using trench inserts as barriers, S38
Oat
—crown rust, resistance conferred by multiple specificities, 340
—speckled blotch, pathogenicity and detoxification of saponins, 986
—stem rust resistance, genetic mapping, 719
Oba, S., S47
Obituaries
—Daniel Franklin Millikan III, 805
—George W. Fischer, 684
—Joseph Minoru Ogawa, 804
Obst, N. R., 163
Ocamb, C. M., S47, S94
Ochoa, F., S116
O'Connell, R. J., 1076
O'Donoughue, L. S., 719

Oeser, B., 1084
Ogallo, J. L., 498, S111
O'Gara, E., S39, S102
Ohnishi, J., 1199
Ojerio, R. S., S5, S64
O'Keefe, D., S56
Okey, E. N., S48
Okoli, C. A. N., S89
Olah, A. F., S59
Olalde, V., S116
Olalde-Portugal, V., S118
Olaya, G., 674
Oleander, bacterial leaf scorch in California, S110
O'Leary, M. C., S6, S53
Oleszek, W., S97
Olivier, C., 267, S12
Olpidium bornovanus, melon necrotic spot virus, vector-assisted seed transmission, 1294
Olson, T. N., S6, S124
Olszewski, N. E., S100
O'Neill, N. R., 1045, S76
Onion
—Botrytis leaf blight in New York, synergy, antagonism, and additive action of fungicide combinations, 1261
—growth and mitosis, thaxtomin A effect, S16
—soilborne fungi and fumigation, S108
Ophiostoma spp.
—*O. europhiodes*, ascospore morphology, S86
—*O. piceae*, on oak wilt fungus mats, spray applications, S38
Ophir, Y., 856
Oplinger, E. S., S66
Oppenheim, A., 980
Orange (see also Citrus), citrus tristeza virus in Spain, spatio-temporal analyses, 45
Orchids, cymbidium mosaic and odontoglossum ringspot viruses, movement, S43
Orta, H., S19
Orum, T. V., S84
Orzolek, M. D., S123
Osborn, T. C., 367
Osbourn, A. E., 986
Osorio, J. A., S47
Ospina-Giraldo, M. D., S82, S89
Østergård, H., 561
Ostrow, K. M., 929
Ostrowski, R. C., S83
Otrosina, W. J., 543
Otten, L., S15
Ouchi, S., S34
Oudemans, P. V., S21, S119, S125
Ouellette, G. B., 1018
Ouf, M. F., S5, S90
Ouinten, M., 787
Ozminkowski, R. H., S61
Ozone, foliar injury, native species in Switzerland, S124

Pacumbaba, R. P., S63
Padgett, G. B., S2, S55
Paenibacillus macerans, from compost, *Trichoderma harzianum* inhibited by, S82
Page-Lester, S. A., S3
Paguio, O., S44
Paine, S., S95
Pair, S. D., S75, S104
Paiva, N., S93
Palloix, A., 739
Palm
—coconut, Tinangaja disease incidence on Guam, S118
—date, Fusarium wilt in Morocco, genetic diversity, 787
Palm, M. E., S81
Pami, S., S47
Pan, Q., 1071
Pan, X. B., S24
Pan, Y.-B., S11
Pang, S.-Z., S16
Panicum mosaic virus, satellite virus, mapping determinants, S8
Panicum virgatum, pathogenic *Bipolaris* spp., S60
Pantoea stewartii, phenotypic variability, S77
Pantoja, A., S118
Pantone, D. J., S95
Papaya bunchy top disease, associated with a bacterium, etiology, 102
Papaya ringspot virus, multivariate comparison of epidemics, epidemiology, 70
Pappu, H. R., 830, S100, S107, S114
Pappu, S. S., 830, S101, S114
Parga-T., V. M., S116
Park, Y. J., S37, S107, S115
Parke, J. L., S54
Parker, P. E., S81
Parker, R., S117
Parks, P., 1000
Parra, G., S14, S108
Parrella, G., 959
Partridge, J. E., S75, S78
Pasquini, G., 959
Passmore, B., S7
Pataky, J. K., S61, S63
Paternoster, M. P., S37
Patrick, J., S10
Paul, R. N., S94
Paulitz, T. C., 1174, S22, S52, S122, S123
Paulus, A. O., S5, S107, S115
Pautot, V., S80
Payne, G. A., S34, S35, S68, S105, S107
Pea
—bacterial blight, phylogenetic analysis of emerging race variants, 1051
—*Pseudomonas fluorescens* bacterized roots, induced resistance to rot and *Pythium ultimum*, biocontrol, 1174
Peach
—fruit rot: *Phomopsis* role, S21; twig blight pathogen in Georgia, S61
—Phytophthora stem canker on dormant trees in Pennsylvania, identification, S124
—twig blight, infection courts, S21
Peanut
—clump disease, broad-spectrum detection, 1234
—Cylindrocladium black rot, field resistance, S104
—*Cylindrocladium parasiticum* establishment, S42
—leaf spot, benomyl and chlorothalonil treatment, S55
—root-knot, stem rot, and yield, management practice, S93
—rust and leaf spot epidemics, management, S86
—Sclerotinia blight, growth and environment, importance in timing fungicide sprays, S123
—seedling diseases, seed treatments, S2
—stem rot, fungicide efficacy, S30
—switchgrass rotation, rhizosphere bacterial effect, S26
Peanut chlorotic streak virus
—gene VI: in bacteria and tobacco, S44; transactivation in transgenic tobacco, S74
Peanut stripe virus
—molecular characterization, S17
—nonstructural protein relation, in cell nucleus, S7
—on clover, effects, 1105
Pear
—*Armillaria mellea*, biology, S61
—brown spot, suppression by *Erwinia herbicola* and *Pseudomonas fluorescens*, isolation and characterization, 856
—fire blight, identification of antagonistic bacterial and yeast strains, 940
—fire blight and frost injury, interaction of *Pseudomonas fluorescens* and antibiotics for control, 841
—fruit russet, cover crop effect, S16
—Japanese, black spot, genetic variation and fungicide resistance, 1248
Pearl millet, planting, recurrent selection, S24
Pearson, R. C., 1010
Pecan, scab, fungicides and weather, S86
Pecina Quintero, V., S116
Pedersen, W. L., S24, S35, S67, S69
Peever, T. L., S19, S90
Pelargonium ringspot virus, characterization, S99
Pelosi, R. R., S1
Peng, H., S52
Penicillium expansum
—on apple: purification and characterization of a polygalacturonase, 1160; suppression by mixed antagonists, 473
—polygalacturonase produced, S35
Pennings, G. G. H., S4
Pennypacker, B. W., S91, S124
Pepper (see also *Capsicum*)
—bacterial spot: control by mixed genotypes and spray schedules, 502; disease potential of races that overcome genetic resistance, 1336; potassium effect, S51; race shifts in response to resistant cultivars, 952
—cucumber mosaic virus, potato virus Y, and tobacco etch virus, S73
—geminiviruses in Mexico and southern USA, detection and distribution, 1186
—Phytophthora stem rot, compost and soil amendment effects, S53
—resistance, disease and insect, S48
Pepper hausteco virus
—on tomato and pepper in Mexico and southern USA, detection and distribution, 1186
—Sinaloa strain, clones, S43
Pepper mottle virus, resistant genotypes, Western Hemisphere, S72
Pepper veinal mottle virus, genetic mapping of resistance, 739
Percich, J. A., S63
Perennial ryegrass, brown patch, weather-based disease-warning model, 385
Pérez, L., S116, S117
Perez, R., S105
Pernezny, K., S49
Peronospora parasitica, on cabbage, biochemical changes, S46
Pesticides, education programs, S29
Pest management, chili and gherkin in Sri Lanka, S30
Peters, D., 900
Petersen, M. A., S71, S99
Peterson, G. L., 115, S92
Petit, A., 225
Petunia
—Sclerotinia stem rot, control with *Trichoderma*, S37
—viruses, mild to severe mosaic, S72
Peyrachon, B., S61
Phaeoisariopsis griseola, pathotype standardization, S94
Phanerochaete gigantea, on pine logs, biopulping potential and factors, S28
Phaseolus spp. (see also Bean): damping-off, insecticidal soap effect, S29; *Fusarium oxysporum* isolate characterization, 966
—*P. vulgaris*: anthracnose, effect of cultivar mixtures, 668; bacteria in seed, influence on emergence and disease development, S59; charcoal rot, inherited resistance, 674; charcoal rot and rhizoctoniasis, *Bacillus cereus* and *Burkholderia cepacia* for biocontrol, S114; common and halo blight of seed, detection, 361; disease resistance, biological and chemical induction, S57; dwarf mosaic virus, movement, 1204; gray mold, *Trichoderma harzianum* for biocontrol, 1255; white mold, environment effect on biocontrol agent

efficacy, 156; xanthomonads associated with, variability in North Dakota, S78
Phellinus noxius, in soil and roots of dead hosts, survival, 272
Phialophora gregata, on soybean, detection and differentiation, 1140
Phillips, D. V., S41
Phillips, S., S100
Phipps, P. M., S123
Phomopsis spp.
—*P. cucurbitae*, isoenzymes produced, S71
—*P. leptostromiformis* (see *Diaporthe toxica*)
Physalis wrightii, tomato infectious chlorosis virus, detection, 622
Phytophthora spp.: detection using ELISA, S69; on apple, effect of time of inoculation, 290; on deciduous fruit trees, effect of dinitroanaline herbicides, 906; on micropropagated plants, suppressed by *Bacillus subtilis*, 428; sporulation and growth, chemical effects, S111
—*P. cactorum*: chlamydospores, temperature and media effect, S27; in soil, population reduced by biowaste amendments, S83; on apple in New York, orchard soil temperature and spore populations, 1133; on apple in New York, spatial distribution in orchard soil, 1122
—*P. capsici*: inoculum dispersal in soil, S108; movement in soil, S62; on pepper, host pathogen interaction, S46; on pepper, inoculum source and cultural practice, S14; on pepper, location of drip irrigation emitters and infections, effects, 1364; on pepper, pathogenic gene expression, S116
—*P. cinnamomi*: on avocado, diagnosis, 763; on *Eucalyptus*, hemi-biotrophic growth, S39
—*P. fragariae*, on strawberry, metalaxyl insensitivity, S111
—*P. infestans*: Curzate M action, for control, S31; gene *ipi*O, functional analysis, S91; genotypes, origins, S10; genotypes, patterns in Mexico S84; in Oregon and Washington, characterization, S13; in potato soils, survival and germination, S119; metalaxyl resistance in USA and Canada, origin, 793; metalaxyl resistant isolates, detection in Morocco and Delaware, S62; on potato, forecasting models for Washington, 480; on potato, fungicide effects, S31; on potato, temperature effect on cymoxanil efficacy, S121; on potato herbarium specimens, oospores, S84; on potato in Coahuila and Nuevo León, Mexico, integrated pest management, S116; on tomato and potato, metalaxyl sensitivity, S105; on tomato and potato, production threat in California, S5; oospores of US strains, temperature effects, S121; specific amplification, S35; sporangial viability, movement in soil, S61
—*P. nicotianae*, solarization, cabbage amendment, S30
—*P. parasitica*, zoospores and cysts, calcium effect, S26
—*P. sojae*: on soybean, evolution of races in Australia, 163; on soybean, genistein effect, 144; on soybean, peroxidase activity in hypocotyl tissue, S46
Phytoplasmas
—ash yellows and lilac witches'-broom, variation, S122
—chokecherry X-disease, genetic separation in North Dakota, S96
—molecular classification, on crops in India, S96
Phytotoxin, equisetin, in *Fusarium* spp. from cottonseed, S46
Picard, C., 225
Piccioni, D., S16
Picea rubens
—sapwood decay, base cation dynamics, S28
—winter injury, freezing cycles, S101
Piché, Y., 434
Pilgeram, A. P., S9, S54
Pine
—Scleroderris canker in Vermont, history, S119
—white, blister rust, analysis of genetic diversity in cankers, 875
Pinkerton, J. N., S98
Pinto, A. C. S., S85
Pinto, T., S32, S33
Pinus spp.: endophytes in needles, South Africa, S66; root disease caused by *Heterobasidion annosum*, molecular differentiation of intersterility groups, 543
—*P. ponderosa*, Armillaria root disease, distribution in Black Hills, S102
—*P. resinosa*, shoot blight, paper mill waste sludge effect, S39
—*P. strobus*: *Canavirgella banfieldii*, pathological anatomy, S39; Fusarium root rot, ectomycorrhizal fungus effect, S47; needlecast, cause, S39
—*P. taeda*, mycorrhizal activity and secondary growth, S108
Pipfruit, bacteria, streptomycin-degrading enzyme from, New Zealand, S79
Piquer, J., 45
Pirone, T. P., 820, S7, S73
Pirseyedi, M., S20
Plant protection
—new product, Ciba Crop Protection, S30
—oomycete and bacterial diseases, resistance effects, S31
Plasencia, J., 170
Plasmopara viticola, on grape, suppression by *Fusarium proliferatum*, postinfection application, 1010
Plectosporium sp., on soybean, detection and differentiation, 1140
Ploetz, R., S10
Plooster, L., S57
Ploper, L. D., S29, S41
Plourde, A., S88
Plum, bark-potting disease, graft transmission, S111
Plumley, K. A., 398
Plum pox virus
—detection with RT-PCR and RFLP analysis, S13
—on sour cherry, detection, 575
—sour cherry strain: evidence for a new subgroup, 1215; insect transmission, S101
—transgenic plum resistance, S57
Pnini-Cohen, S., 728, S40
Poch, S. M., S8
Podila, G. K., S68
Poinsettia
—phytoplasma infection, branching effect, S43
—powdery mildew, maturity effect, S6
—stem rot, binucleate *Rhizoctonia* for control, S37
Polston, J. E., 608, S72, S93, S115, S117
Polymyxa betae, on sugar beet, molecular diagnosis, 493
Pond, E. C., S30
Pooler, M. R., S11
Poot, J. E., S113
Popenuck, T., S28
Poplar (see also Aspen)
—hybrid: leaf rust resistance gene, 87; transformation and antimicrobial peptides, S26
—leaf spot, resistance and trait loci, S48
—*Septoria musiva*, leaf maturity effect, leaf disks, S102
Poplawsky, A. R., S16
Porchas, M., S4, S111
Poromarto, S. H., S82
Postharvest pathology, fruit fumigation, organic acids, S70
Potato
—common scab, thaxtomin A involvement in pathogenicity, 709
—dry rot, thiabendazole resistance, 378
—dry rot and *Fusarium* spp., benzimidazole for, S10
—early dying, interaction with *Pratylenchus penetrans* and *P. crenatus*, 614
—early dying complex, identification of *Verticillium dahliae* by immunoassay, 170
—Erwinia soft and aerial stem rots, siderophore production and pathogenicity, 260
—Fusarium dry rot: biocontrol in storage, S83; biocontrol with bacteria, S70
—late blight: forecasting models for Washington, 480; laboratory evaluation, S56; methods of evaluating reactions, S122; simulation with neural networks, S85
—*Rhizoctonia*, biocontrol in Montana, S9
—ring rot, PCR for detection, S96
—scab, fatty acid identification of pathogenic and suppressive species in Minnesota, 138
—southern blight and root-knot, irrigation management systems, S93
—tomato infectious chlorosis virus, detection, 622
—Verticillium wilt, suppression by green manure, 444
Potato leafroll virus
—in dormant potato tubers, postharvest detection, 993
—resistance and potato beetle, S56
Potato spindle tuber viroid, in wild *Solanum* sp., variant, 880
Potato virus Y, necrotic strain, loss in Brazil, S85
Potenza, C., S46
Potti, R. S., S63
Potting mixes
—compost, system resistance, S8
—composted pine bark, biocontrol for root pathogens, S6
—Pythium crown rot, biocontrol agent, S53
Pounder, J. I., S75
Powell, C. A., 974, S1, S18, S115
Powell, W. A., S26
Power, R. J., S31
Pratt, R. C., 733, 923
Pratylenchus spp., *P. crenatus* and *P. penetrans*, on potato, interaction with early dying, 614
Press, C. M., S48, S82
Pretorius, Z. A., 588, S58, S94
Price, K. R., 986
Price, M., 830, S117
Priest, M., 1032, 1039
Prieto, R., S68
Prom, L., S58
Prunus necrotic ringspot virus, strain-specific detection, primer design, S2
Pruvost, O. P., 95
Pscheidt, J. W., S55, S111
Pseudomonas spp.: on mushroom, characterization, 1098; on wheat for take-all suppression, combination with *Trichoderma koningii*, 188
—*P. chlororaphis*, wheat phytotoxicity, S36
—*P. fluorescens*: antifungal activity, butyrolactone compounds, S122; biocontrol agent, phenotypes and isolate efficacy, S42; biocontrol agents, factors affecting production, S79; on apple, antagonistic to fire blight, antibiotic compatibility, 834; on pear, antagonistic to brown spot, isolation and characterization, 856; on pear, interaction with antibiotics in controlling fire blight and frost injury, 841; on pea roots, induced resistance to *Fusarium oxysporum* and *Pythium ultimum*, biocontrol, 1174; on radish, antagonist to fungal and bacterial pathogens, systemic induced resistance, 757; on radish, induced resistance to Fusarium wilt, 149; on tomato for wilt control with modified soil atmospheres, 1238; pyoluteorin biosynthetic genes, transcription, S76

—*P. glumae*, DNA fragment, partial sequence, S77
—*P. putida*, FeSOD and MnSOD genes, characterization, S76
—*P. solanacearum*, on tomato, biocontrol by *P. fluorescens* with modified soil atmospheres, 1238
—*P. syringae*: biocontrol chemicals produced, characterization, S112; copper-resistant strains, S55; detection, ultrasensitive with membrane by BIO-PCR, S77; *N*-acyl homoserine lactone analog production, S76; on bean seed, detection, 361; on citrus, green and blue mold control, S33; on cucumber, induced resistance by rhizobacteria, 221; on pea, phylogenetic analysis of emerging race variants, 1051; on radish, suppression by *Pseudomonas fluorescens*, systemic induced resistance, 757; on soybean, *avr*D-containing plasmid, analysis, S75; on stone fruit, strains in California, S16; on tomato, nutrition factor, S50; on transgenic tobacco, defense genes, S45; phaseolotoxin produced, genetic structure, S15; *ruvZY*, cloning and analysis, S78; syringomycin biosynthesis, synthetase, S76
Puccinia spp., on crucifers, phylogenetic relations, S95
—*P. carduorum*, weed pathogen, host groups, S82
—*P. coronata*: on *Avena* spp., biocontrol, S15; on oat, resistance conferred by multiple specificities, 340
—*P. graminis*: on barley, genetic resistance, 1299; on oat, genetic mapping of resistance, 719; on wheat and barley, competitive ability of races, 627
—*P. grindeliae*, on broom snakeweed, gene flow in southern USA, S88
—*P. hordei*, on barley, relationship of new resistance genes to other *Rph* genes, 887
—*P. jaceae*, on knapweed, spread, S81
—*P. recondita*: on wheat, effect of genetic variation on resistance, 633; on wheat, resistance mechanisms, 588; virulence in Nebraska populations, S57
—*P. striiformis*: on wheat, chromosomal location of resistance genes, 1228; on wheat, effect of cultivar mixtures, 347
—*P. substriata*, on pearl millet, races, S55
Puckhaber, L. S., S46
Pueppke, S. G., 805
Puglisi, M. P., S118
Pühringer, H., S13
Pumpkin, Phytophthora fruit rot, yard-waste compost for suppression, S123
Punja, Z. K., S33, S102
Purchio-Muchovej, A., S89
Purcifull, D. E., S18, S71, S99, S101
Pusey, P. L., S42, S60
Pyrenophora tritici-repentis
—necrosis toxin from, identification, S80
—on wheat: genetic resistance, 459; necrosis toxin detection and mode of action, 1360; *Tox*A gene analysis, S91
—PTR-necrosis toxin, bioassay, S80
Pyricularia spp., conidial morphology, on grasses and cereals, S89
—*P. grisea*, on rice, control mechanism of a alkoxyiminoacetamide fungicide, 295
—*P. oryzae*, on *indica* rice, resistance gene identification, 1071
Pythium spp.: cropping system effect, S97; on corn and soybean, cropping system effect, S66; on micropropagated plants, suppressed by *Bacillus subtilis*, 428; root rot suppression, factors affecting, S53; species-specific probes for identification, 581; zoospore production, *Phytophthora* comparison, method, S94
—*P. coloratum*, on carrot, soil lime effect in western Australia, S62
—*P. myriotylum*, on pepper, management in hydroponics, S30
—*P. splendens*, mating type, sexual reproduction, S65
—*P. ultimum*: detection in infected tissue, species-specific antibodies, S69; on bacterized pea roots, induced resistance by *Pseudomonas fluorescens*, 1174
—*P. ultimum* and *P. aphanidermatum*, on cucumber, suppression by composts, 1066

Qi, T., S89
Qiu, J., S94
Qu, R., S72
Quadt-Hallmann, A., S51
Quemada, H. D., S16
Querci, M., S99
Quezada, J., S117
Quinones, L. M., S97

Raaijmakers, J. M., S36
Race, B. A., S38
Rachdawong, S., S124
Rademaker, J. L. W., S78
Radish
—bacterial spot, in Ohio, S79
—fungal and bacterial pathogens, suppression by *Pseudomonas fluorescens*, systemic induced resistance, 757
—Fusarium wilt, induced resistance by *Pseudomonas fluorescens*, 149
Ramallo, J. C., S29
Ramirez, P., S73
Ramírez, R., S117
Ramírez-V., P., S114
Ramsfield, T. D., S22, S29
Ramundo, B. A., S58, S59, S63
Randall-Schadel, B. L., S42
Randles, J. W., 880, S14, S118
Rane, K. K., S69, S106
Rane, S. G., S100
Rangel, U., S117
Rao, A. L. N., S17
Rao, G. P., S60
Rascoe, J., S96
Raskin, V. I., 195
Rasmussen, J. B., 1360, S80
Rasmussen, S. L., 509
Rasochova, L., S7
Ratcliff, A., 543, S28
Ratnayake, S., S97
Raupach, G. S., S25
Ravelonandro, M., S57
Rayachhetry, M. B., S22
Rayapati, P. J., 340
Recalde, G., S32, S33
Rech, E. L., S48
Redbud, *Botryosphaeria*, seed treatments, S88
Reddy, D. V. R., 1234
Redlin, S. C., S108
Redondo, E., S117
Reed, J. D., S32
Reeleder, R. D., S27, S83
Reeser, P. W., S111
Reeves, D. W., S59
Reeves, P., S15
Reich, R. M., S102
Reichard, D. L., S55
Reichard, S. L., S60
Reid, C., S120
Reid, L. M., 110
Resistance
—alfalfa: to anthracnose, induced by avirulent strain, 1045; to Sclerotinia crown and stem rot, screening, 923
—aspen to crown gall, correlation with cytokinin, 225
—bacterized pea roots to rot and *Pythium ultimum*, 1174
—barley: to leaf rust, relationship of new genes to other *Rph* genes, 887; to net blotch, induced by *Bipolaris maydis* and *Septoria nodorum*, 602; to stem rust, genetic, 1299; to stripe mosaic virus, gene mapping, 184
—bean: to anthracnose, effect of cultivar mixtures, 668; to charcoal rot, inherited, 674; to gray mold, induced by *Trichoderma harzianum*, 1255
—*Brassica rapa* to white rust, locus mapping, 367
—carnation to Fusarium wilt: cultivar and population density effect, 751; histochemical, 1018
—cowpea: to cucumber mosaic virus strain Y, 946; to rust fungus, effect on fungal nuclear condition, 1057
—cucumber: to angular leaf spot and anthracnose, induced by rhizobacteria, 221; to anthracnose, induced by composts, 1066
—*Fusarium* spp. on potato to thiabendazole, 378
—hybrid poplar to leaf rust, genetics, 97
—Japanese pear spot to polyoxin, genetic variation, 1248
—maize to gray leaf spot, trait selection, 733
—narrow-leafed lupin to latent Phomopsis stem blight, 692
—*Nicotiana* spp. to tomato ringspot virus, engineered, 417
—oat: to crown rust, multiple specificities, 340; to stem rust, genetic mapping, 719
—oilseed rape to *Albugo candida*, monogenic lines for resistance in Canada, 1000
—pepper to veinal mottle virus, genetic mapping, 739
—*Phytophthora infestans* to metalaxyl in USA and Canada, origin, 793
—radish: to fungal and bacterial pathogens, induced by *Pseudomonas fluorescens*, 757; to Fusarium wilt, induced by *Pseudomonas fluorescens*, 149
—rice: *indica*, to blast, gene identification, 1071; to bacterial blight, identification and molecular mapping of a new gene, 1156; to tungro spherical virus and green leafhopper vector, molecular mapping, 25
—soybean: to brown stem rot, effect of variable conditions, 1140; to sudden death syndrome, screening by regeneration from suspension cultures, 714
—sugarcane to red rot, evaluation and heritability, 662
—susceptible plants to virus infection, induced by *Clerodendrum aculeatum*, 485
—tobacco to black root rot, effect on pathogenesis, 38
—tomato to *Meloidogyne* spp., induced by interspecific interactions, 499
—wheat to leaf rust: effect of genetic variation, 633; mechanisms, 588
—wheat to Septoria tritici leaf blotch: compatible and incompatible interactions, 777; host selection, 454; induced, 728; interaction of isolate and cultivar, 200, 213
—wheat to tan spot, gene location, 459
Reuven, M., 751, S24
Reviewers, acknowledgment, 4
Revilla, P., S61
Reynolds, K. L., S21, S30, S55, S61
Rezaian, M. A., 880
Rhizobacteria, on cucumber, induced resistance to angular leaf spot and anthracnose, 221
Rhizoctonia spp.: binucleate, biocontrol of *Rhizoctonia* damping-off, S104; binucleate, on soybean hypocotyl and root, S82; on apple roots and soil, classification, S5
—*R. cerealis*, on potato, first report in Mexico, S114

—*R. oryzae* and *solani*, on wheat, virulence and detection by PCR, 354
—*R. solani* (see also *Thanatephorus cucumeris*): AG-11, biogeographic diversity, S49; disease and microclimate, model, S84; mitochondrial DNAs, molecular properties, S68; on impatiens, fungicides and biocontrols, S6; on perennial ryegrass, weather-based disease-warning model, 385; on potato, antagonists, biochemical and biological properties, S123; on potato, biological and chemical control in Guanajuato, Mexico, S118; on potato, fungicide efficacy, S114; on soybean, anti-*R. solani* compounds from bacteria and fungi, S80; on tall fescue, resistance model, S6; species complex classification, molecular markers, S69; suppression by *Trichoderma harzianum*, host-specific expression of chitinases, 980
Rhoads, D. D., S89
Rhodes, L. H., S60
Rhodes, L. R., S41
Rhynchosporium secalis, on barley, fungicides, S55
Ribeiro, S. G., S48
Rice
—bacterial blight: genotype effect, S78; identification and molecular mapping of a new resistance gene, 1156; population genetics, 1352
—bacterial blight pathogen in the Philippines, analysis of spatial variation and population genetics, 241
—blast: control mechanism of a alkoxyiminoacetamide fungicide, 295; distribution in Arkansas fields, S4; immunoassay using monoclonal antibodies, S74; population dynamics and resistance, S46; resistance gene estimation, S47
—Fusarium sheath rot, fumonisin occurrence, S42
—*indica*, blast resistance gene identification, 1071
—*Pythium* seedling disease, carbon, bacteria, and biocontrol, S36
—sheath blight, resistance inheritance, S24
—sheath spot, recovery of sclerotia, S111
—transgenic plants, rice tungro bacilliform virus constructs, S72
Rice, M. E., S47
Rice tungro bacilliform and spherical viruses, resistance to, molecular mapping, 25
Richard, R. D., S81
Richins, R. D., S74
Richmond, K. E., 849, S7
Ricker, M. D., S61
Riedel, R. M., 614
Riggs, J. L., S97
Rijkenberg, F. H. J., 777
Riley, K. L., S109
Riley, M. B., S87
Rimmer, S. R., 1000
Rioux, D., 1018
Risius, M. L., S91, S124
Ristaino, J. B., S14, S35, S84, S105, S108
Ritchie, D. F., 502, 1039, 1336, S16, S78, S79, S106
Rivera, M., S10
Rivera, R., S117
Rivera-Bustamante, R. F., 1186, S113, S117
Rizzo, D. M., S61, S66
Robb, K., S107
Robbertse, B., S55
Roberts, B. A., S110
Roberts, P. A., S56, S111
Roberts, P. D., S42
Robinson, R. A., S114
Rocha-Peña, M. A., S113, S118
Rocha-R., R., S118
Rodriguez-Alvarado, G., S7
Rodríguez-Cerezo, E., 535, 1370
Rodríguez-Kábana, R., S26, S54
Roelfs, A. P., S48
Rojas, M., S117
Rojas, R., S63
Romaine, C. P., S82, S89, S125
Román, J., S114
Romenskaya, I. G., S24
Romero, A. M., S78
Romero, R. A., S32
Romero-R., F., S114
Roncero, M. I. G., 1324
Roossinck, M. J., S7
Rose
—black spot, fungicides, S6
—rosette disease, biocontrol, S23
Rose, A., S79
Rosell, R. C., S43, S73
Rossbach, U., S78
Rosskopf, E. N., S10
Rothrock, C. S., S20, S40, S49
Roundy, T. E., S24
Rousseau, A., 434
Routh, G. H., S17
Rowe, R. C., 614
Rowhani, A., S1
Roy, K. W., S97
Royse, D. J., S82, S89
Rubus spp., endophytic fungi, colonization in reforestation site, British Columbia, S95
Ruess, W., S31
Ruhl, G. E., S69
Ruiz, D., S113
Ruiz, R., S117
Ruíz-Beltrán, P., S113
Ruiz-Herrera, J., S64
Rupe, J. C., S4, S54
Rush, C., S44
Rush, C. M., 1242, S105, S107
Rush, M. C., S24
Russell, B. W., S11
Russin, J. S., 824, S40, S57, S71, S80
Russo, L. W., S106
Rutledge, S. S., S57
Ryabov, E. V., 391
Rye
—ergot, characterization and expression of two genes, 1084
—Fusarium foot rot and head blight, detection by species-specific DNA assay, 515
Ryley, M. J., 163
Ryu, K. Y., S6, S124

Saad, A. T., S18
Sabaratnam, S., S37
Sackett, W. M., S123
Sáez, E., 535
Safir, G. R., 144, 563
Saftner, R., S70
Sahin, F., S79
Saindon, G., 361
Salas, B., S58
Salicylic acid, systemic disease resistance role, pseudomonads, S82
Salinas, J. G., S117
Salix spp., viruses, bioenergy, S40
Sams, C. E., 1160, S35
Sánchez, J. R., S116, S117
Sánchez, V., S117
Sanchez-Cuevas, M. C., S72
Sanders, D. C., 502, S106
Sanders, L., S93
Sandlin, C. M., S67
Sands, D. C., S9, S15, S54, S79
San Francisco, M. J., S76
Sanogo, S., S124
Sapers, G. M., 1098
Sargent, S. A., S70
Satellite tobacco mosaic virus, in protoplasts, mutant replication, S17
Saucke, D., S41
Sauriol, F., S122
Savage, J. E., S124
Sayoud, R., 200, 213
Scala, F., 959, 966
Schaad, N. W., 115, S15, S77
Schading, R. L., S3, S92
Schaupp, J. K., S11
Scheck, H. J., S55
Schell, J., 830
Scherm, H., 642, S4, S84
Schickler, H., 980
Schilder, A. M. C., S27
Schilling, A. G., 515
Schippers, B., 149
Schisler, D. A., S53, S83
Schlagnhaufer, B., S89, S125
Schmidt, J. S., S81
Schmidt, R. A., S40
Schmitthenner, A. F., S59, S92
Schneider, A. T., 444
Schneider, R. W., S36
Schoelz, J. E., S6
Schoen, C. D., 993
Scholthof, H. B., S8, S44
Scholthof, K.-B. G., S8, S37, S44
Scholz, B. K., S76
Schott, M. D., S61
Schröder, E. C., S114
Schuerger, A. C., S14, S30
Schulbach, K. F., S27
Schultz, K. T., 849
Schumann, G. L., S120
Schuster, S., 728, S40
Schwager, S. J., 378
Schwartz, H. F., S56
Schwingendorf, R., S68
Sclerotinia spp.
—*S. homoeocarpa*, on creeping bentgrass, foliar nitrogen monitored for management, S120
—*S. sclerotiorum*: ascospores, method for producing, S94; biocontrol with *Coniothyrium minitans*, S54; on bean, effect of environment on biocontrol agent efficacy, 156; on cabbage, population structure in North Carolina, S68; peanut-canola rotations, relation in Georgia, S41; sclerotial distribution, S66
—*S. trifoliorum*: apothecial population, dynamics, S60; on alfalfa, screening for resistance, 923
Sclerotium spp., molecular differentiation, S33
—*S. cepivorum*: on *Allium* spp., fungicide sensitivity, S116; on *Allium* spp., sclerotial behavior, S116
—*S. rolfsii*: parasitism by *Trichoderma harzianum*, biocontrol, 405; suppression by *Trichoderma harzianum*, host-specific expression of chitinases, 980
Scorza, R., S57
Scott, J. W., S49
Scumbato, G. L., S42
Seah, S., S91
Seal, S., S58
Sebastian, L. S., 25
Sedegui, M., S62
Seem, R. C., 596, 668, 1010, S85, S121, S122, S123
Séguin-Swartz, G., S20
Seifers, D. L., S1
Sela-Buurlage, M. B., S57
Sellers, P., S69
Senior, M. L., S59
Septoria spp.
—*S. avenae*, on oat, pathogenicity and detoxification of saponins, 986
—*S. lycopersici*, biocontrol with bacteria and yeasts, S37

—*S. nodorum*, on barley, suppression of net blotch, induced resistance, 602
—*S. tritici*, on wheat, induced resistance, 728
Sequoiadendron sp., root disease caused by *Heterobasidion annosum*, molecular differentiation of intersterility groups, 543
Setosphaeria turcica
—populations in Kenya, China, and Europe, S41
—virulence inheritance, S41
Sha, X. Y., S24
Shaeropsis sapinea, on conifers, A morphotype occurrence worldwide, S88
Shaffer, W. H., S60
Shalitin, D., S115
Shamoun, S. F., S22, S29, S95, S102
Shaner, G., 633
Shankar, M., 692
Sharma, T. R., S66, S67
Sharon, A., S40
Shaw, J. G., S74
Shaw, J. J., S105
Shaw, M. W., 561, 777
Shebaro, W. A., S71
Sheng, H.-Y., S36
Shepherd, R. J., S44, S74
Sherwood, J. E., S65
Sherwood, J. L., 849, S8, S75
Sherwood, R. T., S60
Shew, B. B., S42
Shew, H. D., 38, 704, S13, S105
Shi, A. N., S47, S56
Shi, Y. L., 311
Shi, Z., S33
Shier, W. T., S42
Shihata, Z. A., S5, S90
Shilling, D. G., S89
Shishkoff, N., S53
Shoemaker, P. B., S58, S105
Sholberg, P., S70
Showers, W. B., S47
Shriver, J. M., S108
Shtienberg, D., 123, 751, S15, S24
Sida spinosa
—anthracnose diseases, molecular taxonomy, 1076
Sieber, T. N., S95
Sijbolts, F., S57
Sikora, E. J., S20
Silva, A., S38
Simini, M., S86
Simon, A., 188
Simone, G. W., S50, S71, S118
Sinclair, J. B., S54, S80
Sinclair, W. A., S39, S122
Singh, N. P., S106
Sirex noctilio, *Amylostereum* symbiont in South Africa, S87
Sirju-charran, G., S48
Sirococcus clavigignenti-juglandacearum, on butternut, tree density effect, S123
Sivasithamparam, K., S52, S54, S58, S62, S64, S91, S92, S97
Skaria, M., S20, S34, S117
Skelly, J. M., S124
Skinner, D. Z., 1352
Skog, K. E., S87
Skoglund, L. G., S24
Slightom, J. L., 417
Slininger, P. J., S83
Slippers, B., S87
Smalley, E. B., S18
Smedegaard-Petersen, V., 602
Smidansky, E., S63
Smilanick, J. L., S33, S112
Smit, W. A., 1311
Smith, B. J., S21
Smith, C. A., S124
Smith, D. M., 370
Smith, D. R., S88
Smith, G. R., S17
Smith, K. P., S83
Smith, M. W., S47
Smith, O. P., 115
Smith, R. L., S89
Smith, T. J., S100
Smith, V. L., S29
Smither-Kopperl, M. L., S13
Smittle, D. A., S108
Snetselaar, K., S124
Snyder, K. R., S124
Soil solarization, soilborne pathogens affected, cover crops, S98
Solanum sp., wild, tomato leaf curl virus and potato spindle tuber viroid variant isolated, 880
Solarum viarum, new disease, biocontrol, S95
Solel, Z., S22
Solís-Gracia, N., S117, S118
Somai, B. M., S31, S35
Somers, D. A., S7
Somodi, G. C., S49
Sonoda, R. M., S1, S52
Soong, J., 1167
Sorensen, L. H., 444
Sorghum
—charcoal stem rot, resistance under postanthesis drought stress, S116
—covered kernel smut, germ plasm evaluation, S63
—head smut, resistance, molecular markers, S47
—kernel smut, inoculation technique, S59
—protein genes to inhibit fungi, molecular markers, S35
—*Pythium*, yield reduction in Kansas, S55
—rust, isogenic genotypes, S57
Sorghum stunt mosaic virus, leafhopper transmission, S74
Soria, S. L., S63
Sotomayor, S., S114
Soubra, K. H., S71
Sour cherry green ring mottle virus
—molecular characterization and nucleotide sequence, S44
—serological characterization, S112
Southern bean mosaic virus, host range mutant, characterization, S17
Souza, E. J., S56
Soybean
—brown rot and cyst nematode, incidence in northcentral USA, S28
—brown stem rot: detection, S5; detection and differentiation of associated fungi, 1140
—cyst nematode: cyst and egg populations, S86; egg hatching and embryogeny, S98; egg mass and encysted eggs, hatching, S98; iron uptake and partitioning, S97; tolerant genotypes, S98
—disease loss, 10 countries in 1994, S41
—elicitation competency, age-related regulation, S80
—ethylene-insensitive, disease development altered, S81
—frogeye leaf spot, yield loss in Nigeria, S27
—fungal diseases in Argentina, S69
—*Fusarium solani*, reproduction and survival in fields, S97
—hairy roots, analysis, S93
—isoflavone conjugates, β-glucosidase specific, S81
—pathogens, genetic diversity, S35
—Phytophthora root rot, seed treatment, S54
—*Phytophthora sojae*, elicitation competency, S25
—plant density, seed protectants, and herbicides, S69
—Rhizoctonia seedling disease, bacterial biocontrol, S54
—rhizosphere colonization, *Bacillus subtilis* effect, S36
—root and stem rot: evolution of races in Australia, 163; genistein effect, 144
—rust: isolate virulence, S92; model for disease prediction, S13
—*Sclerotinia sclerotiorum*, light and physiological resistance link, S124
—Sclerotinia stem rot: cropping practice effect in Iowa, S42; tillage, cultivar, and benomyl factors, S64
—sudden death syndrome: cultivar response, S93; *Fusarium* resistance, S47; genetic variation of *Fusarium*, S10; in Argentina, S12; medium for detecting *Fusarium*, S12; phytotoxin characterization, 277; resistance screening by regeneration from suspension cultures, 714; soil factors in Iowa, S84; soil temperature and moisture, 642
—suppression by cyst wall penetration, 319
—ten pathogens, isolation frequency and statistical analysis, S66
—tillage system, crop rotation, and fertilization in Argentina, S29
—white mold, INA and chemical treatments, S32
—yield loss, *Sclerotinia* sclerotial fragments, S59
Soybean mosaic virus
—heat shock effect on resistance gene, S121
—P1 and helper component proteases, S75
Spargrove, L., S25
Spear, R., S12
Sphaceloma fawcettii
—on citrus: characterization, 1032; molecular analysis, 1039
Sphaeropsis sapinea, on red pine, morphotypes, response to phenolic and monoterpenes, S102
Sphaerotheca spp.
—*S. fuliginea*: fungicide evaluation in culture, S53; on cucurbits, comparison of fungicides, S115
—*S. pannosa*, on rose, fungicides for, S107
Spinach
—damping-off, *Pythium* role in Arkansas, S62
—transgenic plants, cucumber mosaic virus coat protein gene, S44
Spiroplasma spp.
—*S. citri*: gene presence and expression variation in lines, S96; protein encoding, homologies, S96
—*S. kunkelii*, on corn, antibody fragments, S95
Spodoptera frugiperda, tomato spotted wilt virus, glycoprotein role in vector transmission and pathogenesis, 849
Sporidesmium sclerotivorum, mycoparasite of *Sclerotinia minor*, host range, S45
Sporormiella australis, australifungin produced, mycotoxin comparison, S26
Sporothrix flocculosa, antagonistic to *Botrytis cinerea* and *Cladosporium cucumerinum*, antibiotic action, 1317
Spotts, R., S50
Spurr, H. W., Jr., S108
Squash, transformation by squash mosaic virus coat protein genes, S16
Sreenivasan, T. N., S48
Sreenivasaprasad, S., 523
Srivastava, S., 485
Stack, J. P., S33
Stagonospora avenae, isolates, genetic comparison in Europe and North America, S57
Stall, R. E., S15, S42, S49, S77
Stanghellini, M. E., 509
Stanley, J., S18
Stanosz, G. R., S39, S66, S88, S102
Stapleton, J. J., S110
Statistics, null hypothesis, bioequivalence, S14
Stavely, J. R., S5, S90, S125
Steadman, J. R., S56, S67
Steffenson, B. J., 184, 887, 1299, S58
Steijl, H., 149
Stemphylium vesicarium, on pear, suppression by *Erwinia herbicola* and *Pseudomonas fluorescens* strains, isolation and characterization, 856

Stenger, D. C., 929, S17
Stensvand, A., 596, S122
Stettler, R. F., 87
Stevenson, W. R., S61
Stiles, C. M., 177, S21
Stingley, S., S43
Stipanovic, R. D., S19, S46
Stipes, R. J., S123
StJ. Hardy, G. E., S9, S25, S39, S54, S62, S64, S81, S97, S102
Stockton, P., S85
Stockwell, V. O., 31, 834, S50
Stone, A. G., S53
Stone, J., S15
Storms, J., S57
Stosz, S. K., 236
Straney, D. C., S38
Strawberry
—anthracnose, effect of splash dispersal on disease spread, 864
—*Colletotrichum acutatum*, splash dispersal factor, S4
—hydrocooling, decay hazard, S70
—pest management, rotation, S93
—phytoplasmas associated with disease in Florida, identification, S123
Strawberry mild yellow edge associated virus, cDNA clone, synthesis, S45
Streptomyces spp., on potato, fatty acid identification of pathogenic and suppressive species in Minnesota, 138
—*S. acidiscabies*, cell hypertrophy and necrosis, in seedlings, S78
—*S. scabies*: on seedlings, thaxtomin A involvement in pathogenicity, 709; pathogenicity factor, sequence analysis, S16
Stromberg, E. L., S120, S124
Stromberg, J. C., S101
Strydom, R. C., S29
Stuber, C. W., S59
Stuiver, M. H., S57
Stukely, M. J. C., S92
Stutz, J. C., S101
Stylosanthes spp., anthracnose, global climate change, S86
—*S. scabra*, anthracnose disease, pathogenic diversity, 283
Subbaiah, P. V., S60
Subbarao, K. V., 1303, S4, S14, S27, S86
Sudarshana, M. R., S45
Sugar, D., S50
Sugar beet
—*Polymyxa betae*, molecular diagnosis, 493
—*Pythium*, metalaxyl sensitivity, S20
—rhizomania, spread by irrigation and tillage, 1242
—root rot, biocontrol using *Pseudomonas* in seed pellets, S37
—seedling disease, solid matrix seed priming, S110
Sugarcane
—*Clavibacter* and *Xanthomonas* interaction, S42
—ratoon stunting disease, effect of parental resistance, S113
—red rot, evaluation and heritability of resistance, 662
Sugarcane bacilliform virus, variation, S17
Sugarcane mosaic virus, on sudangrass in India, S60
Sujkowski, L. S., 793, S108
Sulc, R. M., S41, S60
Sulzinski, M. A., S125
Sumi, S., 253
Summerell, B. A., S121
Sumner, D. R., S29, S108
Sun, L. J., S33
Sun, M., S9
Sun, Y., 1299
Sundin, G. W., S78
Sunter, G., S7
Suslow, T. V., S49, S71
Sutherst, R., S86
Sutula, C., S69
Swart, W. J., S58, S66, S88, S94
Sweet corn
—diseases in Midwestern USA, S61
—high plains disease, genotypes, S24
—smut and ear galls, inoculum concentration, S63
Sweetingham, M. W., 692, S58
Sweet potato sunken vein virus
—on sweet potato in Kenya, serological relationship to other closteroviruses, 744
—serological detection, S100
Sweigard, J., S11
Swings, J., S78
Sykes, M. L., S9
Sztejnberg, A., 195, 1010

Tagetes lucida, powdery mildew in Florida, S2
Takeda, F., S125
Talag, J., 1352
Tally, A. H., S30, S31
Tamura, H., 295
Tan, M. K., 1032, 1039
Tang, J., S105
Tanisaka, T., 1071
Tantaoui, A., 787
Tao, Z., S20
Tapsoba, H., S55
Tavantzis, S. M., S68
Teakle, D. S., S17
TeBeest, D. O., 1076, S4, S10, S81, S95
Techniques
—aniline blue fluorescence, for studying plant-fungal interactions, 704
—immunoglobulin G yields increased by affinity chromatography, S116
Tedford, T. R., S17
Teillon, H. B., S119
Téliz, D., 70
Tenberge, K. B., 1084
Tepe, M., S9
Termorshuizen, A. J., S12
Testroet, A., S75
Teutonico, R., 367
Teviotdale, B. L., S21, S111, S112
Tewari, J. P., S66, S67
Texas pepper virus, on tomato and pepper in Mexico and southern USA, detection and distribution, 1186
Thanatephorus cucumeris, anastomosis group 1, sexual and vegetative compatibility, 566
Thielaviopsis basicola
—hairy vetch amendments affecting, indicator strains, S20
—on tobacco, effect of resistance on pathogenesis, 38
—survival, soil flooding and temperature factor, S110
Thiessen, R. H., S60
Thomas, D., S111
Thomas, E., S36
Thomas, M. R., 283
Thomas, P., S56
Thomas, W. D., S106
Thomashow, L. S., S36
Thompson, C. M., S106
Thompson, D. C., S2
Thompson, J. M., S98
Thomson, S. V., S95
Thrips setosus, tomato spotted wilt virus, localization in larvae and pupae, 1199
Tian, T., 1167
Tigelaar, H., S57
Tikhonova, I., S106
Tilletia spp., on wheat, genetic relationships, 311
—*T. indica*, on wheat, PCR-based identification, 115
Tillman, B. L., S80
Timmer, L. W., 523, 1032, 1039, S4, S22
Tiourebaev, K., S9
Tisserat, N. A., S75
Tobacco
—black root rot, resistance and pathogenesis, 38
—blue mold: factors in Florida, S106; metalaxyl-resistant transplants, epidemic, S107; spore transport and spread forecasting, S58
—dwarf mosaic virus, movement, 1204
—nematode, nematicides for, S2
—*Peronospora*, for longevity, S108
—Sclerotinia collar rot, inoculum source in greenhouse, S13
—tomato infectious chlorosis virus, detection, 622
—tomato ringspot virus, engineered resistance, 417
Tobacco etch virus
—in aphids, effect of mineral oil on retention and transmission, 820
—on pepper, genetic mapping, S7
Tobacco mosaic virus
—aphid transmission, virion retention in stylets, S73
—cell-to-cell movement, analysis, S74
—lesion size factors, S80
—mutant, cell-to-cell movement, S18
—satellite virus and helper virus recombination, on *Nicotiana glauca*, S109
Tobacco ringspot virus, on plant introductions, S59
Tobacco vein mottling virus, biochemical properties, S74
Tolin, S. A., 556, S121
Tollner, E. W., S108
Tomaru, K., 1199
Tomato
—*Alternaria solani*, defense interactions, S106
—bacterial speck: biocontrol, S49; induced systemic resistance, S50
—bacterial spot, race changes, S49
—defense response and leucine aminopeptidase, S80
—early blight, resistance evaluated, S120
—Fusarium wilt: biocontrol, S9; biocontrol organisms, S83; endopolygalacturonase secretion during infection, 1324
—geminivirus, new in Brazil, S1
—geminiviruses: detection and distribution in Mexico and southern USA, 1186; identification and management in Caribbean, S117
—gene pyramiding, disease resistance, S19
—gray mold, Mycostop evaluation, S23
—late blight, location and resistance inheritance, S24
—*Meloidogyne hapla* on, nematode collection method, S98
—*Rhizoctonia* damping-off and root rot, biocontrol in transplants, S37
—root-knot nematodes, induced systemic resistance and susceptibility, 499
—whitefly-transmitted virus, new in Florida, S71
—wilt, *Pseudomonas fluorescens* for biocontrol and modified soil atmospheres, 1238
Tomato bushy stunt virus
—gene vector usage, S8
—on tomato and eggplant in Spain, strain characterization, 535
Tomato chlorosis virus, new whitefly-transmitted closterovirus, S118
Tomato infectious chlorosis virus
—cDNAs specific to closterovirus-encoded heat shock protein 70, generation and identification, 1167
—detection, 622
—detection, diagnostic techniques, S12
Tomato leaf crumple virus, on tomato and pepper in Mexico and southern USA, detection and distribution, 1186

Tomato leaf curl virus, in wild *Solanum* sp., reservoir, 880
Tomato mosaic virus, detection in soil in New York, S88
Tomato mottle virus, on tobacco, resistance and modified coat protein, S93
Tomato ringspot virus, on *Nicotiana* spp., engineered resistance, 417
Tomato spotted wilt virus
—in *Spodoptera frugiperda*, role of glycoproteins in vector transmission and pathogenesis, 849
—in thrips: cellular receptor site, S8; localization in larvae and pupae, 1199
—in tobacco transplants, detection in Georgia by PCR, S100
—nucleocapsid gene, tobacco cultivar transformation, S105
—nucleocapsids, S7
—on peanut, pathogenesis, S99
—on peanut and tobacco, molecular analysis in Georgia, S107
—thrips acquisition and transmission, developmental stage, 900
Tomato yellow curl virus, tomato genotype reaction, Lebanon, S71
Tomato yellow mosaic virus, characteristics in Venezuela, S114
Torbert, K. A., S7
Torres, S., S114
Torres-Jerez, I., S73
Torres-Montalvo, H., S57
Torres-Pacheco, I., 1186, S117
Towers, G. H. N., S44
Toxicology, plant medicine, initiative developed at Clemson University, S93
Toxins (see also Mycotoxins and Phytotoxin)
—polypeptide, *Fusarium solani* production, 277
—thaxtomin A, involvement in pathogenicity of *Streptomyces scabies* on monocot and dicot crop seedlings, 709
Toyoda, H., S34
Tracy, W. F., S61
Traina, S. J., S53
Traquair, J. A., S37
Trees
—deciduous fruit, crown and root rot, effect of dinitroanaline herbicides, 906
—stone fruit, plasmid transfer from *Agrobacterium tumefaciens* to *A. radiobacter*, biocontrol of crown gall, 528
Trese, A. T., S25
Trevathan, L. E., S40
Tribe, G., S87
Trichoderma spp., on button mushroom, genetic analysis, S89
—*T. hamatum*, molecular markers for detection, 582
—*T. harzianum*: antagonist to plant-pathogenic fungi, host-specific expression of chitinases, 980; biocontrol for *Botrytis cinerea*, S23; catalase and superoxide dismutase, S75; for biocontrol of *Glomus intraradices*, mycoparasitism, 434; on sweet corn, rhizosphere competent strain, S9; parasite on *Sclerotium rolfsii*, biocontrol, 405
—*T. koningii*, on wheat for take-all suppression, combination with pseudomonads, 188
—*T. virens*, selective media for isolation, S19
Tricoli, D. M., S16
Trinidad-C., R., S84
Troost-van Deventer, E., S57
Tropaeolum tuberosum, viruses, plant effects, S63
Trout, C. L., S35, S84
Truman, J., S54
Trytten, P., S44
Tschanz, A. T., S13
Tsuda, S., 1199
Tsuge, T., 1248
Tsuneyoshi, T., 253
Tsushima, S., S66, S77
Tubajika, K. M., S57, S80
Tucker, C. C., S13
Tudzynski, P., 1084
Tuori, R. P., S91
Turfgrass
—biocontrol: foliage factors, S52; population dynamics, S52
—sting nematode, population dynamics in California, S109
—summer patch: bacterial biocontrol strain N4-7, phylogenetic analysis, S122; identification and relationship to other fungi, 398
Turina, M., S8
Turini, T., S111
Turner, D. W., S52, S64, S91
Tuzun, S., 221, S24, S25, S49, S94, S105, S106
Tylka, G. L., S28, S86, S98

Uddin, W., S21, S61
Ueng, P. P., S57
Ullah, Z., S99
Ullman, D. E., 608, 698, S8
Ullrich, H., S77
Umesh, K. C., S3, S11
Uncinula necator
—on grape: oil curative activity, S31; perennation in flag shoots in California, S112
—triadimefon resistance, demethylation inhibitors, S31
Upchurch, R. G., S104, S107
Uredo sp., on *Selaginella*, import from China, new rust, S69
Uromyces spp.
—*U. appendiculatus*: on bean, introductions, resistance genetics, S90; on bean, rust resistance genes, S90; on bean, variability in Mexico, S56; on bean, variation in Andean and Middle America, S67; speciation, S32; variability, foreign and domestic isolates, S5; variability and breeding strategies in US high plains, S56
—*U. vignae*, on cowpea, host resistance and nuclear condition, 1057
Ustilago spp., detection and genetic characterization, molecular analysis, S67
—*U. hordei*: dimorphis switching, cloning locus, S88; genetic diversity in races, RAPD analysis, S67; pheromones and mating inhibitory factor, S65
—*U. maydis*: killer strains, dsRNA segment coding, S100; KP4 killer toxin, ultrastructure, S100; mutants, isolation and characterization, S64
Uyemoto, J. K., 804, S20, S44, S112

Vakoch, D. L., 480
Valent, B., S11
Valverde, R. A., S72
Van Alfen, N. K., S5
van Bruggen, A. H. C., S4
Vandemark, G. J., S116
van der Kamp, B. J., 1008
van der Zwet, T., S89, S120, S125
Van de Wetering, F., 900
van Dijk, K. V., S9
Van Ginkel, M., 200
Vann, S., S40
Vanneste, J. L., S79, S84
Van Pelt, J. A., 149, 757
Van Santen, E., S59
Van Silfhout, C. H., 200, 213
Van West, P., S91
van Wyk, P. W. J., S86
Varela, J. D., S45
Vargas, R., S118
Varsha, 485
Vaughan, R., 370
Vaughn, S. F., 267
Vauterin, L., S78
Vedenyapina, E. G., 144
Veenstra, K. H., S113
Vegetables, root diseases, rotation with bahiagrass, S29
Velasco, V. R., S112
Venette, J. R., S59, S78
Venturia inaequalis
—ascospore release: time course, 769; wind tunnel for controlled environment studies, 596
—on apple: impact of fenarimol sprays, S121; infection criteria and phenological stages, S122; suppression by extracts of spent mushroom substrate, 914
Vera Cruz, C. M., 241, 1352, S78
Veremis, J. C., S56
Verma, H. N., 485
Verticillium dahliae
—broccoli residue and temperature effect, S27
—broccoli residue factor, S14
—microsclerotia in soil, method of detection, S12
—on cauliflower: broccoli soil amendments and temperature effect on microsclerotia, 1303; factors, S86
—on cotton, cloning defense response genes, S45
—on horseradish, root discoloration, S84
—on okra, vegetative compatibility, S63
—on potato: identification by immunoassay, 170; interaction with *Pratylenchus penetrans* and *P. crenatus*, 614; suppression by green manure, 444
—on tomato and potato, genetic diversity, S5
—organic amendment effect, S27
—wood chips for transmission, sugar maple to eggplant, S98
Vetten, H. J., 744, S100
Vicedo, B., 528
Vidaver, A. K., S78
Viegas, P., S72
Vierling, R., S46
Vilchez, M., S107, S115
Villalon, B., S48
Villemot, I., 95
Vincelli, P., S60
Vincent, M., S56
Vingnanakulasingam, V., S30
Virgen-Calleros, G., S118
Viruses
—aphid-borne, gene flow risk in transgenic crops, S43
—badnaviruses, phylogenetic analysis, S100
—cross-protection, heterologous, virus vector use, S45
—Furovirus, ELISA reactions among isolates, S105
—Geminiviridae, subgroup III, coat protein gene, geographic origin indicator, S74
—geminivirus: coat protein, promoter activation, S7; coat protein, subgroup III, whitefly-mediated transmission, S43; in transgenic tobacco, mutated proteins, S18
—geminiviruses, whitefly transmission, monitoring in feeding chamber, S73
—*Hypovirus*, transfection for biocontrol of chestnut blight, 301
—in woody hosts, detection using PCR, S1
—on garlic, differentiation of mixed infections by RT-PCR and immunoassay, 253
—potyvirus replication gene, plant resistance gene effect, S18
—tobamoviruses: evolution, recombination, S18; on tobacco, diversity, S109
—virus infection resistance, human 2-5A system, in transgenic tobacco, S74
Vivanco, J. M., S99
Vivian, A., 1051

Vomitoxin (See Mycotoxins, deoxynivalenol)
von Broembsen, S. L., S26, S86
Voyle, M. D., S79

Wadsworth, M. L., S112
Wagner, P., S37
Walker, J. T., S98
Walkinshaw, C. H., S39, S108
Wall, G. C., S118
Walla, J. A., S87, S96
Walling, L. L., S80
Walter, M., S7
Wander, M. M., S53
Wang, E., S26
Wang, G., S81
Wang, H., S91
Wang, H. L., 1204, S45
Wang, J., S88
Wang, K., S90
Wang, L., 1071, S60
Wang, R. Y., 820, S73
Wang, T. C., S24
Wangai, A., S85
Washington, J. R., S2, S85
Wasilwa, L. A., S62
Watanabe, H., 1248
Watermelon
—*Acidovorax avenae*, spread, S106
—cabbage residue amendment, yield effect, S106
—Fusarium wilt, controlled by isolates in suppressive soil, 812
—potyvirus: induction, immunolabeling, Florida, S99; sequence analysis, Florida, S101
—yellow vine, DNA amplification, S75
Watermelon silver mottle virus, tospovirus relation in Taiwan, S43
Watkins, J. E., S57
Watson, A. K., S22
Watson, T., S22
Waugh, K. O., S88
Wax, L. M., S69
Weaver, M. A., S68
Weaver, M. B., S9, S54
Webster, R. K., S111
Wedge, D. E., S93
Weeden, N. F., 674
Weeks, J. R., S93
Wegulo, S. N., S42, S64
Wei, G., 221, S25, S51
Weidemann, G. J., S63
Weinbaum, S., S21
Weinhold, A. R., S110
Weller, D. M., 188, S36, S84
Wells, J. M., 1098
Welz, H. G., S41
Wenner, N. G., S39
Wesenberg, D. M., S112
Wesley, S. V., 1234
Westermann, D. T., 444
Wetzel, H. C., S75
Wheat
—Cephalosporium stripe, infection process and soil pH, 177
—curl mite, transmission of high plains disease, S44
—deoxynivalenol in kernels, S33
—disease and insect management in Louisiana, S57
—dwarf and common bunt, genetic relationships, 311
—Fusarium foot rot and head blight, detection by species-specific DNA assay, 515
—high plains disease, virus cause, curl mite vector, S99
—karnal bunt: PCR-based identification, 115; seed inoculum, S58
—leaf lesions, *Cochliobolus* sporulation and *Fusarium* inoculation, S109
—leaf rust: gene performance, S24; genetic variation and resistance, 633; resistance genetics, S48; resistance mechanisms from *Triticum monococcum*, 588
—no-till cropping system effect, in Arkansas, S40
—powdery mildew: gene transfer from einkorn wheat, S56; resistance transfer, S47
—*Rhizoctonia oryzae* and *R. solani*, virulence and detection of *R. oryzae* by PCR, 354
—root rot, severity factors, S107
—rust, density- and frequency-dependence, S85
—scab, *Fusarium* spp. comparison, S58
—Septoria nodorum blotch, epidemiology in Arkansas, S40
—*Septoria tritici*, genetic transformation, S40
—Septoria tritici blotch: host selection, 454; induced resistance, 728
—Septoria tritici leaf blotch: analysis of interaction of isolate and cultivar resistance, 213; effect of compatible and incompatible interactions on resistance, 777; interaction of isolate and cultivar resistance, 200
—stem rust, competitive ability of races, 627
—stripe rust: chromosomal location of resistance genes, 1228; discriminate analysis, S56; durable resistance and trait loci, S19; effect of cultivar mixtures, 347
—take-all: antibiotic-producing pseudomonads for, S36; biocontrol pseudomonads, S84; fungicide and yield loss relation, S27; melanization and pathogenicity relation, S64; role of bacteria, S51; salicylic acid and systemic resistance, S91; suppressed by *Trichoderma koningii*, combination with pseudomonads, 188
—tan spot: genetic resistance, 459; infection periods, S4; necrosis toxin detection and mode of action, 1360
Wheatgrass, root rot resistance, screening method, S41
Wheat streak mosaic virus
—distribution in wheat plants, S73
—factors in wheat genotypes, S72
—genetic variability among populations, 1222
Wheeler, M. H., S46
Wheeler, T. A., 1242
Whisler, G. C., S71
Whisson, S. C., 163
White, D., 428
White, D. G., S34
White clover, viruses in US pastures, S60
Whitehead, K., S57
Whiting, E. C., S61
Whitlow, T. H., S39
Whittington, D. P., S62
Wichman, R. L., S106
Wick, R., S53
Wickizer, S. L., S17
Widholm, J. M., 277, 714
Widmer, T. L., S6
Widstrom, N. W., S71
Wight, C. P., 719
Wijkamp, I., S44
Wilcox, S. M., S26
Wilcox, W. F., 906, 1122, 1133, S31
Wilen, C. A., S110
Wilkinson, C., S39
Wilkinson, H. T., S51
Williams, P. H., 367, S18
Williams-Alanis, H., S57
Wilson, A., S123
Wilson, A. D., S38, S94
Wilson, J. P., S24, S55
Wilson, L. L., 864, S4, S85
Wilson, M., S37, S42, S49, S50, S51, S82
Wilson, W. J., S77
Wincell, C., S15
Windels, C. E., S20
Windes, J. M., S56
Windham, G. L., 1105
Wingfield, B. D., 1311, S29, S87, S102
Wingfield, M. J., 1311, S29, S86, S87, S102
Winters, S., S40
Wipf-Scheibel, C., 1294
Wise, R. P., 340
Wisler, G. C., 622, 1167, S12, S71, S118
Wolf, P., S95
Woloshuk, C. P., S68
Wong, O. T., 354
Woo, S. L., 966
Wood
—brown rot decay, particle capture immunoassay, S69
—brown rot fungi, arsenic, chromium, and copper toxicity, S102
—decay fungi, metal tolerant, S88
Wood preservation, calcium precipitation, new perspective, S34
Workneh, F., S28, S42
Wrather, J. A., S41
Wu, B. M., S4
Wu, J., S20
Wu, Z., S72, S73
Wu, Z. C., 608
Wubben, J. P., 986
Wuest, P. J., S125
Wyatt, S. D., 1288, S74

Xanthium strumarium
—*Alternaria* for control, S95
—tagetitoxin effects, S94
Xanthomonas spp.: intrasubspecies diversity, genomic fingerprinting, S78; on cereals and grasses, recognition and detection in seed, 63
—*X. albilinean*: on sugarcane, detection, S11; PCR and extragenic sequence for identification, S75
—*X. axonopodis*: copper gene cluster, S15; genome size and physical chromosome map, S77; on citrus, detection by specific assay, 95; strains and chromosomal gene transfer, S77
—*X. campestris*: epiphytic population, bioluminescence, S35; gallic acid and hydrogen peroxide relation, S16; in geranium, PCR-based assay, S125; iron uptake, S78; on bean, gene-to-gene relationship, S116; on bean seed, detection, 361; on bell pepper, control by mixed genotypes and spray schedules, 502; on bell pepper, disease potential of races that overcome genetic resistance, 1336; on bell pepper, races 4–6, resistance gene, S79; on cabbage, anionic peroxidase isozymes, in leaf tissue, S105; on lettuce seed, S3; on pepper, bacterial spot analysis, genotype mixture, S106; on pepper, pectin demethylation, S47; on pepper, race shifts in response to resistant cultivars, 952; on pepper, race 3 strains, S78; on pepper and tomato, identification with DNA probe and probe-derived PCR primers, S79; on tomato, avirulence gene, S15; on tomato, biocontrol and nutrition, S50; on walnut, pathogenicity, S111; on wheat, seed transmission and detection, S80; pheromone, biological role, S16; resistance, oxidative burst, S24
—*X. fragariae*, strains, genetic relations, S11
—*X. oryzae*: genome fingerprinting, in Nepal, S79; on rice, analysis of spatial variation and population genetics in the Philippines, 241; on rice, identification and molecular mapping of a new resistance gene, 1156; on rice, population genetics, 1352
Xi, C., S82, S89
Xia, J. Q., S69, S74
Xiao, C. L., S27, S86
Xie, J., S62
Xie, Y. F., 1156
Xu, B. Y., S119, S125
Xu, H., 1057

Xu, J.-R., S34
Xu, M. Q., S43
Xylella fastidiosa
—on citrus: leafhopper vector, S74; tree inoculation, S106
—on grapevine in Europe, isolation, S119

Yanar, Y., S92
Yang, T. C., S72
Yang, X., 864
Yang, X. B., 642, S13, S28, S42, S64, S66, S84, S97
Yang, Y., S44
Yanoria, M. J., S47
Yao, C., 1160, S35, S51
Yasuda, N., S77
Ye, F., S96
Yeast, on pear and apple, identification of strains antagonistic to fire blight, 940
Yeh, S. D., S43
Yepes, L. M., 417
Yin, Z., 662
Yohalem, D. S., 914
Yokomi, R. K., S73
Young, L. D., S28
Young, L. J., S52
Young, N. D., S32
Young, T. R., S106
Yperma, H. L., S31, S112
Yu, D., 777
Yu, G. Y., S54
Yu, H., S33
Yu, I.-C., S25
Yu, J., S84
Yuan, C., 698
Yuen, G. Y., S52, S69
Yuen, J. M. F., S49, S50
Yukioka, H., 295
Yumol, R. R., S47
Yunis, H., 56

Zabala, G., S25
Zablotowicz, R. M., S97
Zalewski, J., S56
Zambolim, E. M., S1
Zarzosa, I., S29
Zavriev, S. K., 391
Zehnder, G. W., S51
Zeller, K. A., S32
Zerbini, F. M., S1
Zetter, F. W., S72
Zhang, A. W., S35
Zhang, B. Q., S66, S97
Zhang, D. P., 1156
Zhang, G., S90
Zhang, H.-F., S80
Zhang, J. X., S71, S108
Zhang, Q., 1156
Zhang, W., 1066
Zhang, X., S25
Zhang, Y., S12, S77
Zhang, Y.-P., S44, S112
Zheleznikova, O. V., 391
Zheng, X., S81
Zhu, H., S55
Zhu, P., S125
Zilberstein, A., 728, S40
Zimand, G., 1255, S23
Zitter, T. A., S31, S35, S121
Zoina, A., 966
Zook, M., S25
Zriba, N., S52
Zucchini yellow mosaic virus
—*Aphis gossypii* and *A. craccivora* vectors, importance of efficiency and propensity in transmission, 698
—in cucumber, resistance alleles, mechanisms, S99
Zuckerman, B. M., S23
Zumoff, C. H., S3
Zviebil, A., 751